

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY **REGION III**

ENVIRONMENTAL SCIENCE CENTER 701 MAPES ROAD FORT MEADE, MARYLAND 20755-5350



DATE

September 21, 2004

SUBJECT:

Region III Data QA Review

FROM

Khin-Cho Thaung

Region III ESAT RPO (3EA21)

TO

Lorie Baker

Regional Project Manager (3HS34)

Attached is the inorganic data validation report for the New Jersey Fireworks Site (Case#:33178, SDG#:MC0004, MC0022, MC0029, MC0073) completed by the Region III Environmental Services Assistance Team (ESAT) contractor under the direction of Region III EAID.

If you have any questions regarding this review, please call me at (410) 305-2743.

Attachments

cc: Peggy Smith (MDE)

TO File #: 0015

TDF#: 0890

Lockheed Martin Information Technology ESAT Region 3 US EPA Environmental Science Center 701 Mapes Road Ft. Meade, MD 20755-5350 Telephone 410-305-3037 Facsimile 410-305-3597



DATE:

September 17, 2004

SUBJECT:

Inorganic Data Validation (IM2 Level)

Case: 33178

SDGs: MC0004, MC0022, MC0029 and MC0073

Site: New Jersey Fireworks

FROM:

Inorganic Data Reviewer

Senior Oversight Chemist

TO:

ESAT Region 3 Project Officer

OVERVIEW

Case 33178, Sample Delivery Groups (SDGs) MC0004, MC0022, MC0029 and MC0073, consisted of twenty-six (26) soil and twenty (20) unfiltered aqueous samples analyzed for total metals and cyanide (CN⁻) and twenty (20) filtrate aqueous samples analyzed for dissolved metals. All samples were analyzed by Bonner Analytical Testing Company (BONNER). The sample set contained two (2) unfiltered and two (2) filtrate aqueous field blanks, three (3) soil field duplicate pairs and two (2) unfiltered and two (2) filtrate aqueous field duplicate pairs. Samples were analyzed in accordance with Contract Laboratory Program (CLP) Statement of Work (SOW) ILM05.3 through Routine Analytical Services (RAS) program.

SUMMARY

All samples were successfully analyzed for all Target Analyte List (TAL) parameters with the exception of antimony (Sb) in SDG MC0004. Areas of concern with respect to data usability are listed below.

Field blanks were utilized to assess field contamination based on corresponding sampling dates for this case.

Data in this case have been impacted by sample preservation as well as outliers present in the laboratory and field blanks, matrix spike, laboratory duplicate, laboratory control sample and serial dilution analyses. Details of these outliers are discussed under "Major and Minor Problems"; specific samples affected are outlined in "Table 1A" and qualified analytical results for all samples are summarized on the Data Summary Forms (DSFs).

MAJOR PROBLEM

The matrix spike recovery was extremely low (<30%) for Sb in SDG MC0004. Positive results reported for this analyte in affected samples in this SDG may be biased extremely low. The "L" qualifier has been superseded by "J" or "B" on the DSFs. The quantitation limit for this analyte in sample MC0002 in this SDG has been rejected and qualified "R" on the DSF.

MINOR PROBLEMS

Unfiltered aqueous samples MC0042 and MC0052 in SDG MC0073 had CN⁻ aliquots for which pH values were less than twelve (pH<12) prior to the digestion process. The positive result reported for CN⁻ in sample MC0042 in this SDG may be biased low. The "L" qualifier has been superseded by "B" on the DSF. The quantitation limit for CN⁻ in sample MC0052 in this SDG may be biased low and has been qualified "UL" on the DSF.

Continuing Calibration (CCB), Preparation (PB) and/or Field (FB) Blanks had reported results greater than the Method Detection Limits (MDLs) for the analytes listed below. Positive results reported in affected samples which are less than or equal to five times ($\leq 5X$) the blank concentrations may be biased high and have been qualified "B" on the DSFs.

CDC	D11-	A CC4 - 1 A1 - 4
<u> 2DG</u>	<u>Blank</u>	Affected Analytes
MC0004	CCB	Sb, cadmium (Cd)
•	PB	selenium (Se), sodium (Na), CN
	FB	Cd, mercury (Hg)
MC0022	CCB	Sb, Cd
	PB	calcium (Ca), Na, CN⁻
MC0029	CCB	copper (Cu), aluminum (Al)
	PB	arsenic (As), Ca, zinc (Zn)
	FB	Zn
MC0073	CCB ·	Al, Cd
	PB	iron (Fe), Zn, CN
	FB	chromium (Cr), Hg, Zn

CCBs and/or PBs had negative values greater than the absolute value of the MDLs regarding the analytes listed below. Positive results in affected samples which are less than two times (<2X) the absolute value of the blank concentrations may be biased low. The "L" qualifier has been superseded by "J" or "B" on the DSFs. Quantitation limits in affected samples may be biased low and have been qualified "UL" on the DSFs.

<u>SDG</u>	Affected Analytes
MC0004	Cd
MC0022	lead (Pb)
MC0029	barium (Ba), beryllium (Be), Cd, manganese (Mn), Se
MC0073	Ba, cobalt (Co), magnesium (Mg), Mn, Hg, potassium (K)

Matrix spike recoveries were low (<75% but >30%) for Sb, As and Se in SDG MC0022 and for silver (Ag) in SDG MC0029. Low recoveries may be attributed to matrix interferences or analyte lost during the digestion process. Positive results reported for these analytes in affected samples in these SDGs may be biased low. The "L" qualifier has been superseded by "J" or "B" on the DSFs. Quantitation limits for these analytes in affected samples in these SDGs may be biased low and have been qualified "UL" on the DSFs.

Relative Percent Differences (RPDs) for the laboratory duplicate analysis were outside control limits (35% RPD, ±2XCRDL) for Pb and Zn in SDG MC0004. Positive results reported for these analytes in this SDG are estimated and have been qualified "J" on the DSFs.

One of the aqueous laboratory control sample (LCS) result reported for Al in SDG MC0029 was outside the certified upper control limit (>120%). Per SOW, if the LCS exceeded the certified control limits, the analysis should be terminated, problem corrected and associated samples redigested and analyzed. The laboratory did not redigest and reanalyze the associated aqueous sample in this SDG for Al. The reported result for this analyte in sample MC0029 the only sample affected in this SDG may be biased high and has been qualified "K" on DSF.

Percent Differences (%D) for ICP serial dilution analyses were outside control limits (>10%) for the analytes listed below. Positive results reported in the affected samples are estimated due to possible matrix interferences and have been qualified "J" on the DSFs unless superseded by "B".

<u>SDG</u>	Affected Analytes
MC0004	Zn
MC0022	Ba
MC0029	Ba
MC0073	Mg, Mn, K



NOTES

Reported results between MDLs and Contract Required Quantitation Limits (CRQLs) were qualified "J" on the DSFs unless superseded by "B".

In SDGs MC0029 and MC0073 only one set of QC (matrix spike, laboratory duplicate and serial dilution analyses) was performed on the unfiltered samples. Therefore, the reviewer utilized the results for these analyses to qualify data for both the unfiltered and filtrate samples.

Some unfiltered samples in SDGs MC0029 and MC0073 had CN⁻ aliquots for which pH values were equal to twelve (pH=12) prior to the digestion process, which is outside the sample preservation criteria (pH>12) for CN⁻ analysis. No samples in these SDGs were qualified due to this slight discrepancy.

In SDG MC0073, one (1) of the CRQL check standard recoveries (CRI02) was high (>130%) for Hg. Therefore, the laboratory reanalyzed the CRQL check standard as CRI03, which was well inside the control limits.

RPDs for the laboratory duplicate analyses were outside contractual control limits (20% RPD, ±CRQL) for Ba, Cu and Mg in SDG MC0004 and for Pb in SDG MC0022. However, RPDs for these analytes in these SDGs were within Region 3 established control limits (35% RPD, ±2XCRQL) for soil analysis. No data were qualified for these analytes in these SDGs based on laboratory duplicate imprecision.

The Case Narrative for SDG MC0004 fails to mention that Ba, Cu, Pb, Mg and Zn were outside control limits for the laboratory duplicate analysis. However, Form Is were properly flagged with an "*" as required by the SOW.

Even though the matrix spike analysis was outside control limits for Sb in SDG MC0004 and the serial dilution analysis was outside the control limits for Zn in the same SDG, none of the Form Is were flagged with an "N" or "E", respectively, as required by the SOW. The reviewer added an "N" and an "E" next to the Sb and Zn, respectively, on each Form I in this SDG.

Even though the matrix spike analysis was outside control limits for Ag in SDG MC0029, only one (1) of the Form Is was flagged with an "N" as required by the SOW. The reviewer added an "N" next to the Ag on each Form I in this SDG.

Reported results for field duplicate pair MC0001/MC0005 in SDG MC0004 were within 35% RPD, ±2XCRQL for all analytes except Cu.

Reported results for field duplicate pair MC0007/MC0011 in SDG MC0004 were within 35% RPD, ±2XCRQL for all analytes except Al, Ba, Cd, Co and Fe.

ORIGINAL

Reported results for field duplicate pair MC0027/MC0028 in SDG MC0022 were within 35% RPD, ±2XCRQL for all analytes except Al, Ba, Cr, Fe, Pb, Mn and Zn.

Reported results for field duplicate pair MC0035/MC0036 in SDG MC0029 were within 20% RPD, ±CRQL for all analytes except Al, Fe and Mn.

Reported results for field duplicate pairs MC0060/MC0061 in SDG MC0029 and MC0045/MC0052 and MC0068/MC0071 in SDG MC0073 were within 20% RPD, \pm CRQL for all analytes.

Post-digestion spike recoveries were low for Sb, As, and Se in SDG MC0022; however, data are not qualified based on the post-digestion spike recovery.

The following samples were reanalyzed at dilutions for the analytes listed below in order to bring concentrations within the linear range of the instrument. Results for these analytes in these samples were reported from the diluted analyses, annotated with a "+" on the DSFs and noted below.

<u>SDG</u>	Sample ID	Dilution Factor	Analyte
MC0004	MC0007, MC0011	15.0	Ba
	MC0008, MC0016	3.0	Ba
•	MC0007	2.0	Fe
	MC0011	3.0	Fe
MC0073	MC0051, MC0053	2.0	Ba

Data for Case 33178, SDGs MC0004, MC0022, MC0029 and MC0073, were reviewed in accordance with National Functional Guidelines for Evaluating Inorganic Analyses with Modification for use within Region III.

ATTACHMENTS

INFORMATION REGARDING REPORT CONTENT

Table 1A is a summary of qualifiers applied to the laboratory-generated results during data validation.

TABLE 1A

SUMMARY OF QUALIFIERS ON DATA SUMMARY FORMS AFTER
DATA VALIDATION

TABLE 1B

APPENDIX A

APPENDIX A

APPENDIX B

APPENDIX C

CHAIN OF CUSTODY RECORDS

APPENDIX D LABORATORY CASE NARRATIVE

DCN: 33178IM2.wpd



)		NON-		
	SAMPLES	POSITIVE	DETECTEI		
ANALYTE	<u>AFFECTED</u>	<u>VALUES</u>	<u>VALUES</u>	BIAS	COMMENTS*
Sb	MC0010, MC0012, MC0014, MC0015, MC0016, MC0017, MC0018, MC0019	В		High	CCB (10.001J μg/L) MSE (29%)
	MC0001, MC0003, MC0004, MC0005, MC0006, MC0008, MC0009	J			>MDL <crql MSE (29%)</crql
· .	MC0002, MC0007, MC0011	L	R	Ext. Low	MSE (29%)
Cd	MC0006	В		High	FB (0.31J µg/L)
	MC0010, MC0014, MC0015, MC0017, MC0019	В		High	CCB (0.364J µg/L)
	MC0012	В		High	CCB (0.364J µg/L) PBN (-0.038J mg/Kg)
Pb	All Samples	J			DUP (108%)
Hg ·	All Samples Except MC0002, MC0007, MC0011, MC0015, MC0018	В		High	FB (0.12J μg/L)
Se	MC0001, MC0002, MC0004, MC0005, MC0006, MC0008, MC0009	В		High	PB (0.566J mg/Kg)
	the state of the s				



ANALYTE	SAMPLES AFFECTED	POSITIVE VALUES	NON- DETECTED <u>VALUES</u>	BIAS	COMMENTS*
Na	All Samples Except MC0007, MC0011	В		High	PB (95.628J mg/Kg)
Zn	All Samples	J		•	DUP (60%) ISD (10.4%)
CN ⁻	All Samples Except MC0010, MC0014, MC0018, MC0019	В		High	PB (0.428J mg/Kg)


^{*} See explanation of comments in Table 1B



ANALYTE	SAMPLES AFFECTED	POSITIVE <u>VALUES</u>	NON- DETECTEI <u>VALUES</u>) <u>BIAS</u>	COMMENTS*
Sb	MC0022, MC0023	В		High	CCB (6.243J μg/L) MSL (57%)
	MC0026	J			>MDL <crql MSL (57%)</crql
·	MC0021, MC0024, MC0025, MC0027, MC0028	L ·	UL	Low	MSL (57%)
As	MC0021, MC0023	J			>MDL <crql MSL (72%)</crql
·	MC0022, MC0024, MC0025, MC0026, MC0027, MC0028	L	UL .	Low	MSL (72%)
Ba	All Samples	J	•		ISD (22%)
Cd	MC0023, MC0027	В		High	CCB (0.318J µg/L)
Ca	MC0024	В		High	PB (9.426J mg/Kg)
Pb	MC0024	J			>MDL <crql PBN (-0.517J mg/Kg)</crql
Se	All Samples		UL	Low	MSL (66%)
Na	All Samples	В		High	PB (57.292J mg/Kg)
CN* See explana	All Samples Except MC0023 tion of comments in Ta	B able 1B		High	PB (0.125J mg/Kg)



ANALYTE	SAMPLES AFFECTED	POSITIVE VALUES	NON- DETECTED <u>VALUES</u>	BIAS	COMMENTS*
Al	MC0033, MC0037, MC0054, MC0055, MC0056, MC0057, MC0059, MC0060, MC0061	В		High	CCB (26.973J µg/L)
	MC0029	K		High	LCH (121%)
As	MC0029, MC0036, MC0058	В		High	PB (3.032J μg/L)
Ba	All Samples Except MC0041, MC0064	J			ISD (39%)
	MC0041, MC0064		UL	Low	PBN (-2.117J μg/L)
Be	MC0029, MC0054, MC0055, MC0056, MC0057	J			>MDL <crql PBN (-0.045J μg/L)</crql
	MC0033, MC0034, MC0035, MC0036, MC0037, MC0041, MC0058, MC0059, MC0060, MC0061, MC0062, MC0064		UL	Low	PBN (-0.045J μg/L)



ANALYTE	SAMPLES AFFECTED	POSITIVE VALUES	NON- DETECTEI <u>VALUES</u>) <u>BIAS</u>	COMMENTS*
Cd	MC0029, MC0030, MC0031, MC0032, MC0033, MC0034,		UL	Loẃ	CBN (-0.408J μg/L)
	MC0035, MC0036, MC0037, MC0041	, , , , , , , , , , , , , , , , , , ,			
	MC0054, MC0055, MC0056, MC0057, MC0058, MC0059, MC0060, MC0061, MC0062, MC0064	·	UL	Low	CBN (-0.345J μg/L)
Ca	MC0041, MC0064	В		High	PB (24.050J μg/L)
Cu	MC0030, MC0031, MC0032	В		High	CCB (0.808J μg/L)
Mn	MC0064	J			>MDL <crql PBN (-0.306J μg/L)</crql
	MC0041		UL	Low	PBN (-0.306J μg/L)
Se	All Samples Except MC0029, MC0030, MC0031, MC0032		UL	Low	CBN (-4.850J μg/L)
Ag	MC0058	J			>MDL <crql MSL (69%)</crql
	All Samples Except MC0058		UL	Low	MSL (69%)



ANALYTE	SAMPLES AFFECTED	POSITIVE <u>VALUES</u>	NON- DETECTEI <u>VALUES</u>	BIAS	COMMENTS*
Zn	MC0029, MC0030, MC0031, MC0032, MC0033, MC0034,	В		High	FB (4.3J μg/L)
	MC0035, MC0037				
	MC0041, MC0062, MC0064	В		High.	PB (2.122J μg/L)
	MC0054, MC0055, MC0056, MC0057, MC0059, MC0060, MC0061, MC0062	В		High	FB (3.7J μg/L)

^{*} See explanation of comments in Table 1B



ANALYTE	SAMPLES AFFECTED	POSITIVE VALUES	NON- DETECTED <u>VALUES</u>	BIAS	COMMENTS*
Al	MC0065, MC0066, MC0067, MC0068, MC0073	В		High	CCB (8.476J µg/L)
·Ba	MC0039, MC0063		UL	Low	PBN (-1.332J μg/L)
Cd	MC0039, MC0043, MC0044, MC0045, MC0046, MC0049, MC0051, MC0052, MC0053	В	·	High	CCB (0.312J µg/L)
Cr	MC0044, MC0049	В		High	FB (1.0J μg/L)
	MC0066, MC0067, MC0068, MC0069, MC0070, MC0071, MC0073	В	*	High	FB (0.44J μg/L)
Co	MC0063		UL	Low	CBN (-0.979J μg/L)
Fe	MC0049, MC0063, MC0068, MC0071, MC0073	В		High	PB (4.248J μg/L)
Mg	MC0039, MC0063		UL	Low	PBN (-8.377J μg/L)
,	All Samples Except MC0039, MC0063	J			ISD (11%)



ANALYTE	SAMPLES AFFECTED	POSITIVE <u>VALUES</u>	NON- DETECTED <u>VALUES</u>	BIAS	COMMENTS*
Mn	MC0039, MC0063		UL	Low	PBN (-0.710J μg/L)
	All Samples Except MC0039, MC0063	J .		(ISD (25%)
Hg	MC0042	В	·	High	FB (0.12J μg/L)
	MC0046, MC0047, MC0051	В		High	FB (0.12J μg/L) PBN (-0.101J μg/L)
·	MC0039, MC0071	J			>MDL <crql PBN (-0.101J μg/L)</crql
	All Samples Except MC0039, MC0042, MC0046, MC0047, MC0051, MC0071		UL	Low	PBN (-0.101J μg/L)
K	MC0039, MC0063		UL	Low	PBN (-76.993J μg/L)
·	All Samples Except MC0039, MC0063	J			ISD (61%)
Zn	MC0047	В		High	FB (8.3J μg/L)
	All Samples Except MC0042, MC0046, MC0047, MC0051, MC0069	В		High	PB (7.457J μg/L)



ANALYTE	SAMPLES AFFECTED	POSITIVE VALUES	NON- DETECTED <u>VALUES</u>	BIAS	COMMENTS*
CN ⁻	MC0042	В		High	PB (3.040J μg/L) pH (11)
,	MC0045, MC0047, MC0051	В		High	PB (3.040J μg/L)
	MC0052		UL .	Low	pH (11)

^{*} See explanation of comments in Table 1B

Appendix A

Glossary of Data Qualifier Codes



GLOSSARY OF DATA QUALIFIER CODES (INORGANIC)

CODES RELATED TO IDENTIFICATION

(confidence concerning presence or absence of analytes):

U = Not detected. The associated number indicates approximate sample concentration necessary to be detected.

(NO CODE) = Confirmed identification.

- B = Not detected substantially above the level reported in laboratory or field blanks.
- R = Unusable result. Analyte may or may not be present in the sample. Supporting data necessary to confirm result.

CODES RELATED TO QUANTITATION

(can be used for both positive results and sample quantitation limits):

- J = Analyte Present. Reported value may not be accurate or precise.
- K = Analyte present. Reported value may be biased high. Actual value is expected to be lower.
- L = Analyte present. Reported value may be biased low. Actual value is expected to be higher.
- [] = Analyte present. As values approach the IDL the quantitation may not be accurate.
- UJ = Not detected, quantitation limit may be inaccurate or imprecise.
- UL = Not detected, quantitation limit is probably higher.

OTHER CODES

Q = No analytical result.

Appendix B

Data Summary Forms

Case #: 33178

SDG: MC0004

Site: Lab.: **NEW JERSEY FIREWORKS BONNER**

Number of Soil Samples: 18 Number of Water Samples: 0

Sample Number :		MC0001		MC0002		MC0003		MC0004		MC0005	
Sampling Location :		S11 ·		S12		S13		S14		S15	
Field QC:		Dup of MC0	005							Dup of MC0	0001
Matrix:		Soil		Soil		Soil		Soil		Soil	
Units:		mg/Kg		mg/Kg		mg/Kg		mg/Kg		mg/Kg	
Date Sampled :		8/3/2004		8/3/2004		8/3/2004		8/3/2004		8/3/2004	
Time Sampled :		12:30		14:16		12:05		11:30		12:35	
%Solids:		81:9		77.7		88.3		80.2		86.2	
Dilution Factor :		1.0		1.0		1.0		1.0		1.0	
ANALYTE	CRQL	Result	Flag	Result	Flag	Result	Flag	Result	Flag	Result	Flag
ALUMINUM	20	4280	entransia yang te	5620	Province acrains	7490	E TOOT IN STATE	7570	MO Department of the Control	4400	Character for
ANTIMONY	# 6	1.5	9-1		R	1.7	J	1.5	. J	11	ij
ARSENIC	1	3.2	**************************************	6.1	-	2.9	Transcriptor al compa	6.0	-	3.5	Energenters properties
+BARIUM	20	57.1	憲憲	23.0	u z	:: € 599		4102		29.2	
BERYLLIUM	0.5	0.30	J	0.23	J	0.33	J	0.51	J	0.44	J
-CADMIUM	√ 0.5	0:21	UE 2	0.25	J. X	0.44	Ju	0.61	DE	0:27	j.
CALCIUM	500	199	J	46300	Territorio	23700	COMMON AND DESIGNATION OF THE	1540	1200 at 170 Ara 173	92.7	J
CHROMIUM	1	14.9		21.8		20.7		28.3		,18.2	
COBALT	5	3.0	J	3.6	J	3.4	J	4.1	J	4.8	J
COPPER TO SEE TO	2:5	22.0		13.0		± ∓∓20.0 ±		18.8		13.9	
IRON	10	7810	Hitelandrich	7310		11700	200000000000000000000000000000000000000	13000	MINERAL PROPERTY.	10200	AND ADDRESS TO VAND
*LEAD		26.7	DE.	2.1	Ŏ.	1.12	J.	130	Ü.	12.1	70.6
MAGNESIUM	500	337	J .	6990	Name a commo	2690	Children and Both	1870	· Trace · ADDAMES	306	J
MANGANESE	1.5	34.4 €		72:1		113		77.2		38.8	
MERCURY	0.1	0.086	В	2000 C	Remarks to the second	0.068	В	0.11	В	0.064	В
NICKEL	4	6.2	12 (F)	62.0		11.7		23.6		7.4	Za.
POTASSIUM	500	358	J	142	J	1160	TOTAL NAME OF	613	J	375	J
SELENIUM	3.5	1.0	B	0.72	В			1.3	В	0.72%	В:
SILVER	1		Maritan.	0.43	J		SECTION SERVICES		985589	MATANA MARANANA	2000000000
SODIUM	500	125	В	139	В	146	В	193	В	86.9	В.
THALLIUM	2.5	0.66	J		america.		3/*%:50%:X	RESERVE CHEST LANGES THAT	SELVE NAME	MANAGARANA	SECTION AND
VANADIUM	5	20.5		9.8	Tai	23.5		31.7		24.7	æë,
ZINC	6	20.8	J	12.4	J	40.0	J	91.7	J	24.3	J
CYANIDE	2:5	0.28	В	≟. 0.20.≝	В	0.20	B	0.28	В	0:17.	B:::

CRQL = Contract Required Quantitation Limit

SEE NARRATIVE FOR CODE DEFINITIONS

To calculate sample quantitation limits: (CRQL * Dilution Factor) / (%Solids/ 100)

SDG: MC0004

Site:

NEW JERSEY FIREWORKS

Lab. :

BONNER



Sample Number :	S16 S21		MC0007		MC0008		MC0009		MC0010		
Sampling Location :		S16	-	S21		S22		S23		S24	
Field QC:				Dup of MC0	011					i	
Matrix:		Soil		Soil		Soil		Soil		Soil	
Units :		mg/Kg		mg/Kg		mg/Kg		mg/Kg		mg/Kg	
Date Sampled :		8/3/2004		8/3/2004		8/3/2004		8/3/2004		8/3/2004	
Time Sampled :	•	14:06		09:55		10:20		11:05		10:45	
%Solids :		78.7		74.1		82.5		90.3		85.4	
Dilution Factor :		1.0		1.0 / 15.0 /	2.0	1.0 / 3.0		1.0		1.0	
ANALYTE	CRQL	Result	Flag	Result	Flag	Result	Flag	Result	Flag	Result	Flag
ALUMINUM	20	3300	×4411 1/	40200		12300		9420	and promoting apparent	3980	
ANTIMONY	- 67	1:0	到語	9.7	T.	4:3	J	4:9	J	1.8	В
ARSENIC	1	2.1	a artirismosana	14.2		5.3	Appropriate Special Special	4.0	-	2.6	
BARIUM	20	51.2		30500 +		*5500*+	70.3	27.3		501	
BERYLLIUM	0.5	0.13	J	0.23	J	0.34	J	0.20	J	0.16	J
CADMIUM	-0.5	0:15	B	2:8		0.68		≝	DE	0.11	B
CALCIUM	500	303	J	562	J	126	J	265	J	210	J
CHROMIUM		12.0		. 150	38 .35.	42.9		20.6		12:8	
COBALT	5	2.1	J	19.9	2002502000	7.3	occumentation .	1.6	J	1.2	J
COPPER	2:5	6:2		162		31.3		.°s. 7:0≠		5.5	
IRON	10	5060	Section and Arrest	49200 +	THE PROPERTY.	23200	NEW THE PARTY	14900	MINISTER OF THE PARTY OF THE PA	5980	Constant
*LEAD.	200	16.6	J:	40.3	J.	20.8	J.	7.6	J/	13:1	J.
MAGNESIUM	500	467	J	422	J	587	J	461	J	160	J
MANGANESE	1.5	63:6)		693 #		455		47.0		8.7	
MERCURY	0.1	0.062	В	1.7	Backetter (1980)	0.24	В	0.040	В	0.069	В
NICKEL - FEET NO.	4.4	2.5	J.##	147	633	21.5		≠> 3.8 ¥	J	2.4	J.
POTASSIUM	500	168	J	267	. J	453	J	350	J EXPRESSESSE	128	J
SELENIUM	3.5	0.59	В	6.7		2.3	В	1.2	В		
SILVER	1		CONTACTOR OF	MINET THE TOTAL	tankingana.	· · · · · · · · · · · · · · · · · · ·	PERSON		SECTION OF THE RESIDENCE		CHICARTAN
SODIUM	500		В.		NEW P	75.5	В	83.5	B	92.6	В
THALLIUM	2.5		**************************************	1.3	J	0.57	J KANTANTANE	7 10 20 00 00 00 00 00 00 00 00 00 00 00 00	AND THE PROPERTY OF	SHARE FORE SATURAL AND	gagestrumen.
VANADIUM	5	12.0		28.4		24.8		27.5		14.5	
ZINC	6	11.5	J semential	81.4	J	28.6	J etiethelasi	10.8	J ************************************	8.8	J SEKTROMETER
CYANIDE	2.5	0.17	B	0:87	B	0.374	В	0.13	В.	9.7	声影
CRQL = Contract Required Quantitation Lin	nit						SEEN	ARRATIVE F	OR CO	DE DEFINIT	TIONS

CRQL = Contract Required Quantitation Limit

SEE NARRATIVE FOR CODE DEFINITIONS

To calculate sample quantitation limits: (CRQL * Dilution Factor) / (%Solids/ 100)

+ = Result reported from diluted analysis.

SDG: MC0004

Site:

NEW JERSEY FIREWORKS

Lab.:

BONNER

Sample Number :		MC0011		MC0012		MC0014		MC0015		MC0016	
Sampling Location :		S25		SS11		SS13		SS14		SS21	
Field QC:		Dup of MC0	007								
Matrix:		Soil		Soil		Soil		Soil		Soil	
Units:		mg/Kg		mg/Kg		mg/Kg		mg/Kg		mg/Kg	
Date Sampled :		8/3/2004		8/3/2004		8/3/2004		8/3/2004		8/3/2004	l
Time Sampled :		10:00		12:40		12:10		11:35		10:05	İ
%Solids :		72.1		84.1		89.9		85.5		83.9	l
Dilution Factor:		1.0 / 15.0 / 3	3.0 -	1.0		1.0		1.0		1.0 / 3.0	
ANALYTE	CRQL	Result	Flag	Result	Flag	Result	Flag	Result	Flag	Result	Flag
ALUMINUM	20	64000		6450		1350		8610		12400	
ANTIMONY	- 6	12.5	L,	417	В	2.8	В	1.3	В	3.7	B
ARSENIC	1	18.9	. With Character asserts and	1.8		6.4		3.9		6.2	
BARIUM	20	47600.+		47.0		37.5		33.8		5990 +	
BERYLLIUM	0.5	0.15	J .	0.51	J	0.46	J	0.31	J	0.27	J
CADMIUM	0.5	1.8		0.071	В	0.17	В	0.15	В	+ - ⊕ 0.26	J
CALCIUM	500	739	**************************************	142	J	218	J	456	J	175	J
-CHROMIUM:		187		15.2		27.2		16.3		61.3	
COBALT	5	30.6	propositions refe	4.8	J	3.9	J	3.0	J	4.6	J
COPPER	. 2.5.	200		5.9		8.4		6.2		31:4	
IRON	10	95500 +	and April Anthropology	8130	P was read	19300		11300		22600	
*LEAD L	10	42.0	Ú.	6.3	J.	4.2	ij.	13.7	J.	12.4	
MAGNESIUM	500	282	J	329	J	75.2	J	1080	e stage harace or mender of	421	J
MANGANESE	1.5	824		714		23.9		52.1		108	
MERCURY	0.1	1.4	enceriu-	0.057	В	0.047	В		EMPERATOR	0.20	В
NICKEL	. 4	147		6.8		4:3	J.	7.2		27.0	
POTASSIUM	500	82.3	J	239	J	99.3	J	438	J	311	J
SELENIUM	3.5%										
SILVER	1	Principal Colombia	an estad							i ippocytywegosiader	ERREPHISANO
SODIUM	500			90.4	В.,	53.0	В	154	В	66.3	В
THALLIUM	2.5	0.66	J meses	Barry erater	SHEWS	Section of the sectio	STORES OF L		SMESS OF THE		Signification .
VANADIUM	5	27.3		19.7		37.4		23.1		35.2	鄉類
ZINC	6	94.7	J	21.5	J	23.7	J	22.1	J	23.7	j Francisco
CYANIDE	2.5	第二0.97章	*B	0.16	В	FROM STATE	為其	0.14	В	⊬0.23	В.

CRQL = Contract Required Quantitation Limit

SEE NARRATIVE FOR CODE DEFINITIONS

To calculate sample quantitation limits: (CRQL * Dilution Factor) / (%Solids/ 100)

+ = Result reported from diluted analysis.

Revised 09/99

PAICHAL

SDG: MC0004

Site:

NEW JERSEY FIREWORKS

Lab.:

BONNER ·

Sample Number :		MC0017		MC0018		MC0019	-				
Sampling Location :		SS22		SS23		SS24					
Matrix :		Soil		Soil		Soil					
Units:		mg/Kg		mg/Kg		mg/Kg					
Date Sampled :		8/3/2004		8/3/2004		8/3/2004					
Time Sampled :		10:25		11:10		10:50					
%Solids :		81.4		86.4		85.8					
Dilution Factor :		1.0		1.0		1.0					
ANALYTE	CRQL	Result	Flag	Result	Flag	Result	Flag	Result	Flag	Result	Flag
ALUMINUM	20	8620		4250		5630					
PANTIMONY	6	3.0	В	3.9	В	1.4	В				
ARSENIC	1	4.0		11.3		3.0					
BARIUM	20 (= 866		10:1	J	85:4					
BERYLLIUM	0.5	0.49	J	0.38	J	0.23	J				
CADMIUM	0.5	0.18	В	0.27	J	0.11	В				
CALCIUM	500	130	J	50.1	j	1310					
CHROMIUM	1	28.0		77.6		25.9					
COBALT	5	2.1	j	3.0	J	1.5	J				
COPPER	2.5	5.8 4		13.6 €		6.9					
IRON	10	16400		27500		8940					
*LEAD	3.10	5.6	Ü	7.3	, J -	5.7.	J				
MAGNESIUM	500	433	J	195	J	871					
MANGANESE	1.5	92.6		32.4	7	19.2	Ž.				
MERCURY	0.1	0.045	В			0.058	В				
NICKEL	4	4.6	J.	2.3	.j	3.1	J				
POTASSIUM	500	416	J	217	j	285	J			,	
SELENIUM	⊕3.5.										
SILVER	1										
SODIUM	500	72.4	В	41.9	В	76.2	B				
THALLIUM	2.5										
VANADIUM	5	34:2		64.9		19.5			拍摄		
ZINC	6	15.0	J	9.6	J	9.6	J				
CYANIDE *	2.5	0.17	.'B				接る岩				

CRQL = Contract Required Quantitation Limit

To calculate sample quantitation limits: (CRQL * Dilution Factor) / (%Solids/ 100)

+ = Result reported from diluted analysis.

SEE NARRATIVE FOR CODE DEFINITIONS

SDG: MC0022

NEW JERSEY FIREWORKS

Number of Soil Samples: 8 Number of Water Samples: 0

Site : Lab. :

BONNER

Sample Number :		MC0021		MC0022		MC0023		MC0024		MC0025	
Sampling Location :		SED1		SED2		SED3		SED4		SED5	
Matrix:		Soil	•	Soil		Soil		Soil		Soil	
Units :		mg/Kg		mg/Kg		mg/Kg		mg/Kg		mg/Kg	
Date Sampled :		8/5/2004		8/5/2004		8/5/2004		8/5/2004		8/5/2004	
Time Sampled :		11:25		11:45		11:20		10:25		09:50	
%Solids :		75.3		80.4		69.2	•	83.7		59.4	
Dilution Factor :		1.0		1.0		1.0		1.0		1.0	
ANALYTE	CRQL	Result	Flag	Result	Flag	Result	Flag	Result	Flag	Result	Flag
ALUMINUM	20	730		697		2020		. 278		6420	
ANTIMONY	. 6		UL	0.47	B	1.1	B.		UL	; — 103°	L.
ARSENIC	1	0.67	J		UL	1.2	J	AMERICAN STREET, CONTRACTOR AND ADDRESS OF THE ACTUAL PROPERTY OF TH	UL	6.3	L
BARIUM	205	46	Ú	15:1	J.	27.8	J.	2.2	Die	213	ij
BERYLLIUM	0.5	. 0.066	J	0.11	J	0.38	J	0.046	J	0.45	J
CADMIUM	0.5					0.12	В			1.0	
CALCIUM	500	95.4	J	136	J	337	J	38.9	В	1560	
CHROMIUM		77.8		5.3		9.4		3.2		17.7	
COBALT	5	0.50	J	0.74	J	4.2	J	0.73	J	17.0	
COPPER	2:5	1.8		3:0	3 1	6.5		1.2	Ĵ.	32.3	
IRON	10	1510		2500		4120		713		21300	
*LEAD***********************************		2.6		3.5		10.6		1.1	J	64.7	4.6.
MAGNESIUM	500	93.3	J	103	J	264	J	39.1	J	741	J
MANGANESE	1.5	7.7	200	5.6		31.3		- 10:1		2150	
MERCURY	0.1					0.084	J	0.079	J	0.22	
NICKEL	4	1.3	9	19	DEE.	5.9		0.81	ij	12.6	
POTASSIUM	500	47.2	J	50.2	J	113	J	19.0	J	290	J
SELENIUM	3.5		ÜL		UL		UL		ָּטני"		ÚĽ
SILVER	1									0.32	J
SODIUM	500	79:7	В	69.0	В	96.6	В	65.0	В	179	В
THALLIUM	2.5	**************************************								4.2	
VANADIUM	5.	5.0	J.	5.3	Ĵ	9.9		2.3	J	21.1	
ZINC	6	4.9	J	5.5°	J	23.7		4.5	J	153	
CYANIDE	2.5	0.17	В	0.14	В			0.15	В	0.55	В

CRQL = Contract Required Quantitation Limit

SEE NARRATIVE FOR CODE DEFINITIONS

To calculate sample quantitation limits: (CRQL * Dilution Factor) / (%Solids/ 100)

SDG: MC0022

Site:

NEW JERSEY FIREWORKS

Lab.:

BONNER

Sample Number :		MC0026		MC0027		MC0028					-
Sampling Location :		SED6		SED7		SED8					
Field QC:				Dup of MC0	028	Dup of MC0	027				
Matrix :		Soil		Soil		Soil					
Units:	,	mg/Kg		mg/Kg		mg/Kg					
Date Sampled :		8/5/2004		8/5/2004		8/5/2004					
Time Sampled :		09:35		08:50		08:55					ĺ
%Solids :		82.9		69.4		58.9					J
Dilution Factor :		1.0		1.0		1.0]
ANALYTE	CRQL	Result	Flag	Result	Flag	Result	Flag	Result	Flag	Result	Flag
ALUMINUM	20	2990	,	3150		6060					
ANTIMONY	6.	5.2	D.	8:7,	E	11.0	L				
ARSENIC	1	4.6	L`	3.4	L	4.8	L				
BARIUM.	20	562	UT.	925	IJ,	1610	J				
BERYLLIUM	0.5	0.45	J	0.28	J	0.44	J				i
CADMIUM	0.5	0:21	Ĵ	0.18	В	0.35	J				
CALCIUM	500	87.2	J	385	J	682	J				
CHROMIUM 1	7-14	17.7		15.0		25.5	A 22				
COBALT	5_	3.5	J	2.9	J	7.8	j				
COPPER	%2.5	4.3		13.5		19.2					
IRON	10	16600		11000		17400					
*LEAD	1.	7.0		23.3		41.0					
MAGNESIUM	500	171	J	224	J	446	J				
MANGANESE	1.5	315		213		850					
MERCURY	0.1			many a constitutiva de la constitutiva		0.068	J	Militarian de charachtaine ar acus art a	Decrease services	SAL TERCAS CONTROL STORES WITH	-60 Marie 12 mary
NICKEL	4	2.1		3.6.	沙登	79					
POTASSIUM	500	98.2	J	137	J	249	J	Wilder Though A . No read that all the comments of the sign	NO CONTROL	THE STREET WHEN THE THE TAX ASSOCIATE	
SELENIUM	3.5	7	UL.		UL		UL				
SILVER	1	**************************************		NUMBER OF STREET STREET STREET STREET, THE STREET, AND THE STR	4140-10-11-1-1	#mmikarapas-nasemmogrikariom	· · · · · · · · · · · · · · · · · · ·	rando - o talestromo antigomos, tal	Approximation from	MANAGE PROSPERA ALALANA MANAGE ANA ANA ANA	. NOW LOVE WALLOW
SODIUM	500 #	41.8	B- :	76.6	В	95.8	В,				
THALLIUM	2.5	0.78	J			1.7	J	ANTICONIC TO THE STATE OF THE S	Martine in any April	magnetic magnetic construction of the second	
	5	27:3	M ai	17.7	聖滅	26.9			極空		
ZINC	6	15.9	WINDS TO SERVE	31.0		53.9	as potenciases	and other and the second of th	Sandard and the	(Marry Languis mad Sports & Systematical Lan	Salimatar v ver
CYANIDE	2.5	0.18	В	0.22	В	0.25	•В.				

CRQL = Contract Required Quantitation Limit

SEE NARRATIVE FOR CODE DEFINITIONS

To calculate sample quantitation limits: (CRQL * Dilution Factor) / (%Solids/ 100)

Revised 09/99

PACAGE

SDG: MC0029

NEW JERSEY FIREWORKS

Number of Soil Samples: 0 Number of Water Samples: 20

Site : Lab. :

BONNER

ALL TOTAL METALS

				TOTALINET				-			
Sample Number :		MC0029		MC0030		MC0031		MC0032		MC0033	
Sampling Location :		SW1		SW2		SW3		SW4		SW5	
Matrix:		Water		Water		Water	:	Water		Water	
Units:		ug/L		ug/L		ug/L		ug/L		ug/L	
Date Sampled :		8/5/2004		8/5/2004		8/5/2004		8/5/2004		8/5/2004	
Time Sampled :		11:20		11:40		11:15		10:20		09:45	
Dilution Factor :		1.0		1.0		1.0		1.0		1.0	
ANALYTE	CRQL	Result 1	Flag	Result	Flag	Result	Flag	Result	Flag	Result	Flag
ALUMINUM	200	372	K	558		359		359		79.5	В
ANTIMONY	60								, and the	8.1	J.
*ARSENIC	10	4.9	В								
BARIUM	200	33.8	J	43.0	J	48.1	J.	50.8	J.	.170	່ງ
BERYLLIUM	5	0.087	J	0.18	J	0.13	J	0.11	j		UL
*CADMIUM	5		UL		ÜĽ		UC		UL		ענ
CALCIUM	5000	7070		6780		6970		7220		23800	
*CHROMIUM	10	2.8	ű.	1.8	Ü	1.4	J.	2.0	J	2.5	j i
COBALT	50	2.3	J	3.6	J	3.6	J	3.3	J	22.5	J
COPPER	25	2.2	0 /	3.7	В	3.4	В	2.9	В	2.2	J.
IRON	100	2600	W-Commercial Commercial Commercia	1780		1480		2000		11100	
*LEAD:	- 10-										
MAGNESIUM	5000	2290	J	3280	J	3330 .	J	2870	J	6650	
MANGANESE	15	54.0		69.5	壁鳢	78:0		68.5		6150	
MERCURY	0.2										
NICKEL	40	7.6	207.2	7.7	J.	7.8	Ú.	7.5	V	6.6	J
POTASSIUM	5000	1560	J	2370	J	2490	J	2120	J	5730	
SELENIUM	35										UL
SILVER	10		UL		UL		UL		UL		UL
SODIUM	5000	3000		₹17100		17500		16000=		77900	
THALLIUM	25	ARCTIVITY OF THE	TTT COM	PORTER AND AND ADDRESS OF THE PARTY OF THE P		AMERICA TO PERSON TO THE PERSO				8.5	J
VANADIUM	50	2.1	Ü.	17.	IJ.	0.84	J.	1.0	U.S.		
ZINC	60	17.1	В	18.5	В	15.9	В	18.0	В	21.2	В
CYANIDE	10	avitini		", 1.º2.2	J				74.Y	3:2	
CROL - Contract Possited Overtitation Lim				n Lovel Eviete							

CRQL = Contract Required Quantitation Limit

*Action Level Exists

SEE NARRATIVE FOR CODE DEFINITIONS

To calculate sample quantitation limits: (CRQL * Dilution Factor)

Page __8__ of __14__

Case #: 33178

SDG: MC0029

Site:

NEW JERSEY FIREWORKS

Lab.:

BONNER

· ALL TOTAL METALS

Constant and the second		MC0034		MC0035	<u>, , , , , , , , , , , , , , , , , , , </u>	MC0036		1400007		1400044	
Sample Number :		1		SW7				MC0037		MC0041	
Sampling Location :		SW6				SW8		SW9		SW14	
Field QC:				Dup of MC0	0036	Dup of MC0	035			Field Blank	
Matrix:		Water		Water		Water		Water		Water	
Units:		ug/L		ug/L		ug/L		ug/L		ug/L	
Date Sampled :		8/5/2004		8/5/2004		8/5/2004		8/5/2004		8/5/2004	
Time Sampled :		09:30		08:35		08:40		10:30		10:50	
Dilution Factor :		1.0		1.0		1.0		1.0	,	1.0	
ANALYTE	CRQL	Result	Flag	Result	Flag	Result	Flag	Result	Flag	Result	Flag
ALUMINUM	200	351	AMPLEOUS	150	J	893	trancour.	39.3	В		NEW TRANSPORTER
ANTIMONY	∔ 60.				4		25.02		7		
*ARSENIC	10	**************************************			Participation and	3.1	В	a ed person e el este de la comp	como mecono	· Tidan managan pangan	N. 1000 C. 100
BARIUM	.‡200	2590	3	2030	J.	2270	J	1840	J		ÜL
BERYLLIUM	5		UL	The second secon	UL		UL		UL	~	UL
*CADMIUM	2.5	21 C S 2 S 3	UE		ָּער װ <u>ַּ</u>		ÜL		ULE		UL
CALCIUM	5000	21300		18400		19000		35800		29.6	В
*CHROMIUM	10	2.1	IJ.	1.1	J.	3.5	Ú	0.61	J		
COBALT	50	5.7	J	2.2	J	4.2	j	1.2	j		
COPPER	. 25	4.5	D.	4.7	IJ.	6.1	J	0.98	Ĵ		
IRON	100	3200		2360		4410		5340			
LEAD	. 10					6.3	J				
MAGNESIUM	5000	5640		4560	J	4770	J	3710	J		
MANGANESE	15	1540		697		1080		332			ÜL
MERCURY	0.2				`			,			
NICKEL	40	5:6	J.	4.6	jų.	5.8	IJ.	2.0	J.		
POTASSIUM	5000	14600		11800		12100		5690			
SELENIUM	- 35		ÜL		ÜL	7-18-2	ÜĽ		ÜL		TUL:
SILVER	10		UL		UL	A PERSONAL MARTINESS CONTRACTOR OF THE PROPERTY OF THE PROPERT	UL	The control of the co	UL	- WHO KENDERSON SALLOWS GLERACIONISE	UL
SODIUM	5000	34400		27700		28400	No.	4110	Ú.		
THALLIUM	25	4.1	J			· · · · · · · · · · · · · · · · · · ·	NEI		The said of said		PARTICIPAL CONT.
VANADIUM	50	1.9	J.	0.90	J	3.6	J.		14 9407 SE		
ZINC	60	20.0	В	19.0	В	25.5	J	10.9	В	4.3	В
CYANIDE	10%	2:8	J	2.3	J	3.6					

CRQL = Contract Required Quantitation Limit

*Action Level Exists

SEE NARRATIVE FOR CODE DEFINITIONS

To calculate sample quantitation limits: (CRQL * Dilution Factor)

Page __9__ of __14__

ORIGINAL

Case #: 33178

SDG: MC0029

Site:

NEW JERSEY FIREWORKS

Lab.:

BONNER

ALL DISSOLVED METALS

Sample Number :		MC0054		MC0055		MC0056		MC0057		MC0058	
Sampling Location :		SW1DM		SW2DM		SW3DM		SW4DM		SW5DM	
Matrix:		Water		Water		Water		Water		Water	
Units:		ug/L		ug/L		ug/L		ug/L		ug/L	
		8/5/2004		8/5/2004		8/5/2004		8/5/2004		1 -	
Date Sampled :		11:20		11:40		6/5/2004 11:15				8/5/2004 09:45	
Time Sampled :	•							10:20			
Dilution Factor :	Langi	1.0	F	1.0	- ·	1.0		1.0		1.0	
ANALYTE	CRQL	Result	Flag	Result	Flag	Result	Flag	Result	Flag	Result	Flag
ALUMINUM	200	127	В	87.1	В	82.2	B	127	В		
ANTIMONY	<u>=</u> 60		M.C.							8.5%	Ĵ,
*ARSENIC	10		CHIEFT SE		STATEME:		er pontage		SMALL CONTRACT	3.2	В
BARIUM	200	28.9		39.0	U.Z	45.7	Ú.	51.4	DE	-t- 161;	Ú
BERYLLIUM	5	0.037	J	0.085	J	0.067	J	0.060	J		UL
*CADMIUM ## 100	5.5		UL		ÜL		JULT		UL		ÜĽ
CALCIUM	5000	6770	THE STATE AND ADDRESS OF	6800		6980		7370		23300	
*CHROMIUM	10	1.5	J	0.68	J	0.53	J	1.5	J	2.5	ั้ง
COBALT	50	6.6	J	7.1	J	7.4	J	7.3	J	25.6	J
COPPER	25	2.0	J	2.4	Ü	3.4	Ű.	2.5	j	1.5	J.
IRON	100	1290		519		491		966		4720	
LEAD	10										
MAGNESIUM	5000	2170	J	3210	J	3280	J	3010	J	6600	
MANGANESE	15	54.8		68.0	淮	79.5		74.0		6020	
MERCURY	0.2	ACT CONTROL OF THE STANKE OF ASSESSED	2 24			7.		HAMP WINDOWS S 2 2 2 4 COVER S CAMMAND	H. F. H. S. W. S. J. W.	(149CM-1 700-144-1490-100-121-149)47-47-103	
*NICKEL	40	7.5	IJ.,	6.72	ija.	7.3		8.4 🕆	5)#F	6.9	JU-
POTASSIUM	5000	1450	J	2350	J	2460	J	2190	J	5680	
SELENIUM	35		×UL*		TUL:		UL		UL#	14-14-14	UE
SILVER	10	enamentalistis understet Paladal	UL		UL	Adam Adam of the State of the S	UL	weeks a state of the same time .	UL	1,1	J
SODIUM	5000	12600	7770	17000	3	17600		16500		77800	
THALLIUM	25	Constant Chicago and Park	anima Territoria	ender in die der die State	TEN PAL	Carl State William Superanda Andrews		mmsouleale*	water m	9.0	ac8601982
VANADIUM	50						##				
ZINC	60	12.9	В	14.0	В	15.1	В	15.7	В	18.6	- I
21170	- 30	12.0_		17.0	لــــــــــــــــــــــــــــــــــــــ	10.1	_	10.1		10.0	

CRQL = Contract Required Quantitation Limit

*Action Level Exists

SEE NARRATIVE FOR CODE DEFINITIONS

To calculate sample quantitation limits: (CRQL * Dilution Factor)

Page __10__ of __14__

Case #: 33178

SDG: MC0029

Site:

NEW JERSEY FIREWORKS

Lab.:

BONNER

ALL DISSOLVED METALS

Sample Number :		MC0059		MC0060		MC0061		MC0062		MC0064	
Sampling Location :		SW6DM		SW7DM		SW8DM		SW9DM		SW14DM	
Field QC:				Dup of MC0	061	Dup of MC0	060		•	Field Blank	
Matrix :		Water		Water		Water		Water		Water	
Units:		ug/L		ug/L		ug/L		ug/L		ug/L	
Date Sampled :		8/5/2004		8/5/2004		8/5/2004		8/5/2004		8/5/2004	
Time Sampled :		09:30		08:35		08:40		10:30		10:50	
Dilution Factor :		1.0		1.0		1.0		1.0		1.0	
ANALYTE	CRQL	Result	Flag	Result	Flag	Result	Flag	Result	Flag	Result	Flag
ALUMINUM	200	64.5	В	37.9	В	44.3	В				
ANTIMONY	- 60										
*ARSENIC	10										l
BARIUM	200	2430	J	2030	Ú	2040	j -	1830	J.		ÜL
BERYLLIUM	5		UL		UL		UL		UL		UL
CADMIUM	. 5		UL		ÜL		UL		UL		UL
CALCIUM	5000	21200		18200		18500		36100		39.2	В
CHROMIUM	10	1.1	J.,	0.92	Ú	1.1	J	0.42	J.		
COBALT	50	7.1	J	2.6	J	6.6	J	4.9	J	. `	1
COPPER	25	3.2		3.5		3.5	Ji	a a la composition de la compo			
IRON	100	1660		1350		1450		3380			
*LEAD - 15 \ .	10										
MAGNESIUM	5000	5610	an arms	4590	J	4600	J	3760	J		
MANGANESE	15	802		661		769		309		0.45	りば
MERCURY	0.2	PAG / JOSEP TEACH WINNERSON AND AND AND AND AND AND AND AND AND AN	womentware safe	dalaman anakaran	-	The contract of the second between the second secon					
*NICKEL	40 🖰	5.9	IJ.	4:3	J	4.7	J	2.3	J		
POTASSIUM	5000	14400		11600		. 11700		5680			
SELENIUM	35		UL		יטני		LUL :		ÜL		ULT
SILVER	10	ANNA DE LA CONTRACTOR D	UL	~	UL	.,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	UL		UL		ÜL
SODIUM	5000	34000		274 00		27400		4160	ja j		
THALLIUM	25	3.1	J		*****	PARTICIPATE TOTAL WINDOW Springers and account to		cratipusos suriament suinose consumos con		APPROXIMATION PROGRAMME	MAJOR NAMES OF
VANADIUM H.	50	0.68	J			1.72.					
ZINC	60	11.1	В	13.7	В	15.5	В	5.9	В	3.7	В

CRQL = Contract Required Quantitation Limit

*Action Level Exists

SEE NARRATIVE FOR CODE DEFINITIONS

To calculate sample quantitation limits: (CRQL * Dilution Factor)



Page __11__ of __14__

Case #: 33178

SDG: MC0073

NEW JERSEY FIREWORKS

Number of Soil Samples: 0

Site : Lab. :

BONNER

Number of Water Samples: 20

ALL TOTAL METALS

Sample Number :	•	MC0039		MC0042		MC0043		MC0044		MC0045	
Sampling Location :		SW12		MW1		MW1A		MW2		MW3	
Field QC:		Field Blank								Dup of MC0	0052
Matrix :		Water		Water		Water		Water		Water	
Units:		ug/L		ug/L		ug/L		ug/L		ug/L	
Date Sampled :		8/4/2004		8/4/2004		8/4/2004		8/4/2004		8/4/2004	
Time Sampled :	;	12:15		10:30		11:10		12:20		13:25	
Dilution Factor :		1.0		1.0		1.0		1.0		1.0	
ANALYTE	CRQL	Result	Flag	Result	Flag	Result	Flag	Result	Flag	Result	Flag
ALUMINUM	200			88300		449		172	J	1030	
ANTIMONY	60										
*ARSENIC	10			77.5				3.3	J		
BARIUM	200		UL	31500		34.9	J	18.9	J	219	
BERYLLIUM	5			15.5		0.31	J	1.3	J	0.28	J
CADMIUM	5.	0.31	B	5.2		0.60	В	0!59	В	0.66	B
CALCIUM	5000			80700		2970	J	1510	J	15800	
*CHROMIUM / 3	10	1.0	J.	328		38.6		1.8	В	32.1	
COBALT	50			331		6.3	J	16.1	J	7.4	J
COPPER	25			322		6.4	J.	5 9 8 1 7 1		10.7	j.
IRON	100			392000		2030		4240		2620	
*LEAD	. 10			151							
MAGNESIUM	5000		UL	17100	J	1700	J	677	J	1090	J
MANGANESE	15		UL.	1940	Jag	18.7	U. T	26.5	J	25.0	J
MERCURY	0.2	0.12	J	0.36	В		UL		UL.		UL
*NICKEL	40-			181		- 13.0	Ú.	34.3	J	19:3	Ju
POTASSIUM	5000		UL	67500	J	1000	J	878	J	2950	J
SELENIUM	35.			57.2							透透透
SILVER	10	DESCRIPTION ASSESSMENT OF A SECOND CONTRACTOR	AMPRONISTA SA	Printer and Linear Color and Color	FE THOMAS OF THE CO.		- 1.7 - 1.8V.C (1.0) - 1.00 -	and words on the state of the state of			
SODIUM	5000=			16700		14600		11700		11000	
THALLIUM	25			12.7	J		*****				
VANADIUM	- 50-			637		7.7	J.	10	Ü	14.5	D.Z.
ZINC	60	8.3	В	620		17.9	В	12.7	В	15.6	В
CYANIDE	10			3.0	В.					2.0	B

CRQL = Contract Required Quantitation Limit

*Action Level Exists

SEE NARRATIVE FOR CODE DEFINITIONS

To calculate sample quantitation limits: (CRQL * Dilution Factor)



Page __12__ of __14_

Cașe #: 33178

SDG: MC0073

'Site:

NEW JERSEY FIREWORKS

Lab.:

BONNER

ALL TOTAL METALS

Sample Number :		MC0046		MC0047		MC0049		MC0051		MC0052	
Sampling Location :		MW3A	,	MW4		PW5		GW2		GW3	
Field QC:										Dup of MC	0045
Matrix:		Water		Water		Water		Water		Water	
Units :		ug/L		ug/L		ug/L		ug/L		ug/L	
Date Sampled :		8/4/2004		8/4/2004		8/3/2004		8/4/2004		8/4/2004	
Time Sampled :		14:00		10:45		11:40		09:00		13:25	
Dilution Factor :		1.0		1.0		1.0		1.0 / 2.0		1.0	
ANALYTE	CRQL	Result	Flag	Result	Flag	Result	Flag	Result	Flag	Result	Flag
ALUMINUM	200	9200		11000		14.2	J	23200		1010	
ANTIMONY	60				170						
*ARSENIC	10	i		41.1		,		20.0			
BARIUM	200	337		99.6	J.	12.5	Ĵ	43700 +		230	
BERYLLIUM	5	3.3	J.	0.96	J	0.25	J	1.6	J	0.31	J
*CADMIUM	5	0.94	В.			0.52	В	1.4	В	0.47	В
CALCIUM	5000	5300		9060		1350	J	6580		16000	
CHROMIUM	10€	124	3.77			1.6	В	230		35.6	
COBALT	50	85.0		9.8	j	16.6	J	28.9	J	7.5	J
COPPER	25	234		82.9		- 16.8	Ĵ	57.9		11.4	J
IRON	100	46100		132000		19.4	В	82600		2820	[
LEAD TO THE PARTY OF THE PARTY	10≊	16.7		19.4	直通			25.6			
MAGNESIUM	5000	2090	J	8260	J	509	J	1670	J	1120	J
MANGANESE	15	59.1	Ĵ.,	1520	J	10.7	J.	185	J	27.0	J.
MERCURY	0.2	0.12	В	0.11	В		UL	0.20	В		UL
NICKEL	40	187		13.4	Ĵ.	28.7	J	18.0	ັນເ	21.4	DET
POTASSIUM	5000	3440	J	5040	J	521	J	6560	J	3090	J
SELENIUM 2007	35			30.2	J.			4	Ű,		Als:
SILVER	10										ĺ
SODIUM	5000	11200		36800		4950	J	3560	j.	11600	
THALLIUM	25			5.1	J						
-VANADIUM	50 -	120		218				±≟ 204 ±		15.9	J.
ZINC	60	123	1	40.6	В	27.2	В	61.7		17.9	В
CYANIDE.	.10		新发	2.8	B			2.6	В		UL

CRQL = Contract Required Quantitation Limit

*Action Level Exists

SEE NARRATIVE FOR CODE DEFINITIONS

Revised 09/99

To calculate sample quantitation limits: (CRQL * Dilution Factor)

+ = Result reported from diluted analysis.

PHOMP

Case #: 33178

SDG: MC0073

Site:

NEW JERSEY FIREWORKS

Lab.:

BONNER

ALL DISSOLVED METALS

Sample Number :		MC0053	, ill o	MC0063		MC0065		MC0066		MC0067	-
Sampling Location :		GW2DM		SW12DM		MW1DM		MW1A-DM		MW2DM	
Field QC:				Field Blank							
Matrix:		Water		Water		Water		Water		Water	
Units:		ua/L		ug/L		ug/L		ug/L		ug/L	
Date Sampled :		8/4/2004		8/4/2004		8/4/2004		8/4/2004		8/4/2004	
Time Sampled :		09:00		12:15		10:30		11:10		12:20	
Dilution Factor :		1.0 / 2.0		1.0		1.0		1.0		1.0	
ANALYTE	CRQL	Result	Flag	Result	Flag	Result	Flag		Flag	Result	Flag
ALUMINUM	200		Ť			15.6	В	17.6	В	30.2	В
ANTIMONY	60						16.4				
*ARSENIC	10			CASAL VIEW CONTRACTOR	110,310,11	. 8.2	J	!			
BARIUM	200	37800 +			UĽ.	26000		31.8	J_	50.6	IJ.,
BERYLLIUM	5							0.22	J	1.3	J
*CADMIUM	5.	0.33	В					0.40	j	0.38	ij
CALCIUM	5000	6220				74800		3260	J	1660	J
CHROMIUM	10			0.44	ົນ			0.61	В	0.91	В
COBALT	50	22.8	J		UL	17.2	j	9.2	J	18.3	J
COPPER	>25		223					2.9	J.		
IRON	100	510	STATES THE SERVE OF THE	5.4	В	50000	Office of the same	75.2	J	4100	
*LEAD T.L.	10										
MAGNESIUM	5000	660	j	THE PERSON AND ADDRESS OF THE PERSON	UL	11100	J	1690	J	688	J
MANGANESE	15	100	J)		JUL.	383	J.	22.5	J.Z	30.1	
MERCURY	0.2	. Try try burger to the best of the control of the	UL	AND CONTRACTOR CONTRACTOR	UL	TOTAL SERVICE STATE OF THE SER	UL	SAMMA ANG CINA PANGAGAI GAN ANG SA	UL	SANGER OF THE LOCATION SHIP CONTRACT AND A STREET	UL
:NICKEL	40	2.9				1.9	Ú,	12.3	j	34.6	Ű.
POTASSIUM	5000	5010	J	mangaran caranggan	UL	57200	Permane	893	J	999	J
SELENIUM:	35						200				芸艺
SILVER	10	PARTICULAR PROPERTY AND ADDRESS OF THE PARTICULAR PROPERT	Carriero	Marie Constitution			Para de		KERSPERE	Bergera de la composition della composition dell	MANAGEMENT .
SODIUM	5000	3640	Pj()			17200		⊭ ∉15100 =		12200	
THALLIUM	25		1.05.70	Marya, pagas gana	ZESOUSA.	4.6	J				SHUGES S
VANADIUM;	50		<u> </u>		77.TT						
ZINC	60	6.7	B *Actio	6.5	В	10.6	В	18.7	В	14.4	В

CRQL = Contract Required Quantitation Limit

*Action Level Exists

SEE NARRATIVE FOR CODE DEFINITIONS

To calculate sample quantitation limits: (CRQL * Dilution Factor)

Revised 09/99

+ = Result reported from diluted analysis.

SDG: MC0073

Site

NEW JERSEY FIREWORKS

Lab.:

BONNER

ALL DISSOLVED METALS

Sample Number :		MC0068		MC0069		MC0070		MC0071		MC0073	
Sampling Location :		MW3DM		MW3A-DM		MW4DM		GW3DM		PW5DM	
, ,		Dup of MC0071		i				Dup of MC0068			
Matrix:			Water		•	Water	Water		Water		
Units :		ug/L		ug/L		ug/L		ug/L		ug/L	
Date Sampled :		8/4/2004		8/4/2004		8/4/2004		8/4/2004		8/3/2004	
Time Sampled :		13:25		14:00		10:45		13:25		11:40	
Dilution Factor :		1.0		1.0		1.0		1.0		1.0	
ANALYTE	CRQL	Result	Flag	Result	Flag	Result	Flag	Result	Flag	Result	Flag
ALUMINUM	200	7.8	В	190	J					9.2	В
ANTIMONY	60										
*ARSENIC	10					-					
BARIUM	200	206		130	SUST.	70:2	ມ	196	-0 -2	12:2	J
BERYLLIUM	5	、 0.085	J	1.7	j			0.054	J	0.24	J
CADMIUM	5	0.56	Ĵ.	0.88	Jin	0.64	บ	0.56	J	2.2	可避
CALCIUM	5000	14100		5000	J.	9340		13900		1390	J
*CHROMIUM	103	1.9	B	111	В	0.73	В.	2.2	В	1:7	В
COBALT	50	8.5	J	81.3		11.1	J	5.8	J	16.8	J
COPPER	25			173						17.0	J.
IRON	100	8.7	В	576		15900		5.0	В	9.4	В
*LEAD ** I TELEVISION	10										
MAGNESIUM	5000	872	J	1920	J	8270	J	809	J	505	J
MANGANESE	15	19.4	Ű.	5-47.5	シニ	1540	J/	14.2		11.0	
MERCURY	0.2	nemonatus some arrestos trostos	UL	Jan Bardan III da karantar baran I	UL	VIETZOROGIA S ZETUS SZPOPY MAN	UL	0.094	J	51 Process Apperla Johnson Print 12	UL
*NICKEL	40	12.4	J	160		6.9	J.	10.6	J.	27.9	3 .3
POTASSIUM	5000	2940	J	2660	J	4680	J	2880	J	527	J
SELENIUM	35%			Y							
SILVER	10		(E)EXERT						BENERA CT	ABRES WILLIAM	
SODIUM	5000	11200		11300		38900		11100		5080	
THALLIUM	25	opinandaria				5.5	J		22/30/20/20/20	4.8	J
VANADIUM	50	0.95	Jož	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1			SE AM		2 551		
CROL - Contract Required Quantitation Lim	60	16.0	В	100		11.6	В	12.8	В -	31.5	В

CRQL = Contract Required Quantitation Limit

*Action Level Exists

SEE NARRATIVE FOR CODE DEFINITIONS

To calculate sample quantitation limits: (CRQL * Dilution Factor)



Appendix C

Chain-of-Custody Records



USEPA Contract Laboratory Program Inorganic Traffic Report & Chain of Custody Record

Case No:

33178

DAS No:

R31935

Region:	3	Date Shipped:	8/3/2004	Chain of Custody Re	cord	Sampler	
Project Code:	1	Carrier Name:	FedEx	i		Signature:	
Account Code:	T03W302DD2CE319LA00	Airbii:	843517786248	Relinquished By	(Date / Time)	Received By	(Date / Time)
CERCLIS ID:	MDSFN0305563	Shipped to:	Bonner Analytical Testing	1			
Spill ID:	E319		Co.				
Site Name/State:	Route 7 Dump/New Jersey Fireworks/MD		2703 Oak Grove Road	2			
Project Leader:			Hattiesburg MS 39402			† — — — — — — — — — — — — — — — — — — —	
Action:	Expanded Site Investigation/RI		(601) 264-2854	3			
Sampling Co:	MDE-ERRP			4			

INORGANIC SAMPLE No.	MATRIX/ SAMPLER	CONC/ TYPE	ANALYSIS/ TURNAROUND	TAG No./ PRESERVATIVE/Bottles	STATION LOCATION		COLLECT STIME	ORGANIC SAMPLE No.	QC Type
MC0001	Soil (0"-12")/	ĽG	TM + CN + (21)	101 (Ice Only) (1)	S11	S: 8/3/2004	12:30	C0001	
MC0003	Soil (0"-12")/	L/G	TM + CN + (21)	108 (ice Only) (1)	S13	S: 8/3/2004	12:05	C0003	Solid Spike
MC0004	Soil (0"-12")/	L/G	TM + CN + (21)	121 (Ice Only) (1)	S14	S: 8/3/2004	11:30	C0004	-
MC0005	Soil (0"-12")/	L/G	TM + CN + (21)	125 (Ice Only) (1)	S15	S: 8/3/2004	12:35	C0005	Duplicate of S11
MC0006	Soil (0"-12")/	L/G	TM + CN + (21)	129 (Ice Only) (1)	S16	S: 8/3/2004	14:06	C0006	-
MC0008	Soil (0"-12")/	L/G	TM + CN + (21)	137 (ice Only) (1)	S22	S: 8/3/2004	10:20	C0008	· -
MC0009	Soil (0"-12")/	L/G	TM + CN + (21)	141 (Ice Only) (1)	S23	S: 8/3/2004	11:05	C0009	
MC0010	Soil (0"-12")/	L/G	TM + CN + (21)	145 (Ice Only) (1)	S24	S: 8/3/2004	10:45	C0010	· -
MC0012	Soil (>12")/	ĽG	TM + CN + (21)	153 (Ice Only) (1)	SS11	S: 8/3/2004.	12:40	C0012	-
MC0014	Soil (>12")/	L/G	TM + CN + (21)	161 (Ice Only) (1)	SS13	S: 8/3/2004	12:10	C0014	
MC0015	Soil (>12")/	L/G	TM + CN + (21)	165 (Ice Only) (1)	SS14	S: 8/3/2004	11:35	C0015	-

Shipment for Case Complete? N	Sample(s) to be used for laboratory QC:	Additional Sampler Signature(s):	Chain of Custody Seal Number:
Completel II	MC0003, MC0049, MC0073	·	,
Analysis Key:	Concentration: L = Low, M = Low/Medium, H = High	Type/Designate: Composite = C, Grab = G	Shipment iced?
CN = Cyanide, DM+HG	= CLP Diss Metals + Hg ICP-AES, TM + CN + = CLP ICP-AE	STM + CN + HG, TM + HG = CLP TM +HG	S.

TR Number: 3-592370820-080304-0014 **REGION CO**



USEPA Contract Laboratory Program Inorganic Traffic Report & Chain of Custody Record

Case No:

33178

DAS No:

R31935

R

Region: Project Code:	3	Date Shipped: Carrier Name:	8/3/2004 FedEx	Chain of Custody	Record	Sampler Signature:	· · ·
Account Code:	†03W302DD2CE319LA00	Airbili:	843517786248	Relinquished By	(Date / Time)	Received By	(Date / Time)
CERCLIS ID:	MDSFN0305563	Shipped to:	Bonner Analytical Testing	1			
Spill ID:	E319	1	Co.	-		 	
Site Name/State:	Route 7 Dump/New Jersey Fireworks/MD		2703 Oak Grove Road Hattiesburg MS 39402	2			
Project Leader:	Expanded Site Investigation/DI	ļ	(601) 264-2854	3			
Action: Sampling Co:	Expanded Site Investigation/RI MDE-ERRP			4			

INORGANIC SAMPLE No.	MATRIX/ SAMPLER	CONC/ TYPE	ANALYSIS/ TURNAROUND	TAG No./ PRESERVATIVE/ Bottles	STATION LOCATION		COLLECT E/TIME	ORGANIC SAMPLE No.	QC Type
MC0017	Soil (>12")/	L/G	TM + CN + (21)	174 (Ice Only) (1)	SS22	S: 8/3/2004	10:25	C0017	 .
MC0019	Soil (>12")/	L/G	TM + CN + (21)	182 (Ice Only) (1)	SS24	S: 8/3/2004	10:50	C0019	-
MC0049	Ground Water/	L/G	CN (21), TM + HG (21)	309 (HNO3), 310 (HNO3), 311 (NaOH), 312 (NaOH) (4)	PW5	S: 8/3/2004	11:40	C0049	Spike
MC0073	Ground Water/	ĽG	DM+HG (21)	345 (HNO3), 346 (HNO3) (2)	PW5DM	S: 8/3/2004	11:40		Spike
Mc0002	Soil (12")	puss	TM+CN(ZI)	106 (ice only) pus	512 pus	8/3/04	1416	5 C000 2 Pus	

Shipment for Case Complete? N	Sample(s) to be used for laboratory QC: MC0003, MC0049, MC0073	Additional Sampler Signature(s):	Chain of Custody Seal Number:
Analysis Key:	Concentration: L = Low, M = Low/Medium, H = High	Type/Designate: Composite = C, Grab = G	Shipment Iced?
CN = Cyanide, DM+HG	= CLP Diss Metals + Hg ICP-AES, TM + CN + = CLP ICP-A	ESTM + CN + HG, TM + HG = CLP TM +HG	

TR Number: 3-592370820-080304-0014

REGION CORY



Case No:

33178

DAS No:

R31935

R

Region: 3 Chain of Custody Record Sampler Date Shipped: 8/3/2004 Signature: **Project Code:** Carrier Name: FedEx **Account Code:** T03W302DD2CE319LA00 Relinquished By (Date / Time) Received By (Date / Time) Airbili: 843517786248 CERCLIS ID: MDSFN0305563 **Bonner Analytical Testing** Shipped to: Spill ID: E319 2 2703 Oak Grove Road Site Name/State: Route 7 Dump/New Jersey Fireworks/MD Hattiesburg MS 39402 Project Leader: 3 (601) 264-2854 Expanded Site Investigation/RI Action: MDE-ERRP Sampling Co:

INORGANIC SAMPLE No.	MATRIX/ SAMPLER	CONC/ TYPE	ANALYSIS/ TURNAROUND	TAG No./ PRESERVATIVE/Bottles	STATION LOCATION		ECOLLECT E/TIME	ORGANIC SAMPLE No.	QC Type
MC0007	Soil (0"-12")/	L/G	TM + CN + (21)	133 (Ice Only) (1)	S21	S: 8/3/2004	9:55	C0007	_
MC0011	Soil (0"-12")/	L/G	TM + CN + (21)	149 (Ice Only) (1)	S25	S: 8/3/2004	10:00	C0011	Duplicate of S21

Shipment for Case Complete? N	Sample(s) to be used for laboratory QC:	Additional Sampler Signature(s):	Chain of Custody Seal Number:
Analysis Key:	Concentration: L = Low, M = Low/Medium, H = High	Type/Designate: Composite = C, Grab = G	Shipment iced?
TM + CN + = CIPICP-4	ES TM + CN + HG		

TR Number: 3-592370820-080304-0015

REGION COR



Case No:

33178

DAS No:

R31935

R

Region: Project Code:	3	Date Shipped: 8/3/2004 Carrier Name: FedEx		-	Chain of Custody	Record	Sampler Signature:	\$
Account Code: T03W302DD2CE319LA00 CERCLIS ID: MDSFN0305563 Spill ID: F319	Airbili:			Relinquished By	(Date / Time)	Received By	(Date / Time)	
	Shipped to: Bonner Analytical Testing			1				
Site Name/State:	2010		Co. 2703 Oak Grove Road		2			
Project Leader: Action:			Hattiesburg MS 39402 (601) 264-2854		3			
Sampling Co:	MDE-ERRP			4			. , .	
INORGANIC	MATRIX/ CONC/ ANALYSIS/	TAG		STATION		COLLECT O	RGANIC	QC

INORGANIC SAMPLE No.	MATRIX/ SAMPLER	CONC/ TYPE	ANALYSIS/ TURNAROUND	TAG No./ PRESERVATIVE/Bottles	STATION LOCATION		E COLLECT	ORGANIC SAMPLE No.	QC Type
MC0016	Soil (>12")/	ĽG	TM + CN + (21)	169 (Ice Only) (1)	SS21	S: 8/3/2004	10:05	C0016	
MC0018	Soil (>12")/	ĽG	TM + CN + (21)	178 (Ice Only) (1)	SS23	S: 8/3/2004	11:10	C0018	-

Analysis Mary Concentration: Larlay Marketing Harkink Type/Designate: Compacity C Grob C Shipment lead?	Ship ment for Case Complete? N	Sample(s) to be used for laboratory QC:	Additional Sampler Signature(s):	Chain of Custody Seal Number:
Analysis Rey: Composite - C, Glab - G	Analysis Key:	Concentration: L = Low, M = Low/Medium, H = High	Type/Designate: Composite = C, Grab = G	Shipment Iced?

TR Number: 3-592370820-080304-0016
PR provides preliminary results. Requests for preliminary results will increase analytical costs.



Case No:

33178

DAS No:

R31935

Region: 3 Chain of Custody Record Sampler Date Shipped: 8/5/2004 Signature: Project Code: Carrier Name: FedEx **Account Code:** T03W302DD2CE319LA00 Relinquished By (Date / Time) Received By (Date / Time) Airbill: 843517786204 CERCLIS ID: MDSFN0305563 Shipped to: **Bonner Analytical Testing** Spill ID: E319 2 2703 Oak Grove Road Site Name/State: Route 7 Dump/New Jersey Fireworks/MD Hattiesburg MS 39402 Project Leader: 3 (601) 264-2854 Action:

Expanded Site Investigation/RI Sampling Co: MDE-ERRP

INORGANIC SAMPLE No.	MATRIX/ SAMPLER	CONC/ TYPE	ANALYSIS/ TURNAROUND	TAG No./ PRESERVATIVE/Bottles	STATION LOCATION	SAMPLE (ORGANIC SAMPLE No.	QC Type
MC0021	Sediment/	L/G	TM + CN + (21)	190 (ice Only) (1)	SED1	S: 8/5/2004	11:25	C0021	
MC0022	Sediment/	L/G	TM + CN + (21)	194 (Ice Only) (1)	SED2	S: 8/5/2004	11:45	C0022	
MC0023	Sediment/	L/G	TM + CN + (21)	198 (ice Only) (1)	SED3	S: 8/5/2004	11:20	C0023	-
MC0029	Surface Water/	ΓG	CN (21), TM + HG (21)	225 (HNO3), 226 (NaOH) (2)	SW1	S: 8/5/2004	11:20	C0029	
MC0030	Surface Water/	L/G	CN (21), TM + HG (21)	229 (HNO3), 230 (NaOH) (2)	SW2	S: 8/5/2004	11:40	C0030	
MC0031	Surface Water/	L/G	CN (21), TM + HG (21)	234 (HNO3), 235 (NaOH) (2)	SW3	S: 8/5/2004	11:15	C0031	<u></u>
MC0054	Surface Water/	L/G	DM+HG (21)	326 (HNO3) (1)	SW1DM	S: 8/5/2004	11:20		
MC0055	Surface Water/	ĽG	DM+HG (21)	327 (HNO3) (1)	SW2DM	S: 8/5/2004	11:40	•	-
MC0056	Surface Water/	L/G	DM+HG (21)	328 (HNO3) (1)	SW3DM	S: 8/5/2004	11:15		<u>.</u>

Ship ment for Case Complete? Y	Sample(s) to be used for laboratory QC:	Additional Sampler Signature(s):	Chain of Custody Seal Number:
Analysis Key:	Concentration: L = Low, M = Low/Medium, H = High	Type/Designate: Composite = C, Grab = G	Shipment Iced?
CN = Cyanide, DM+HG	= CLP Diss Metals + Hg ICP-AES, TM + CN + = CLP ICP-A	ESTM + CN + HG, TM + HG = CLP TM +HG	Q

TR Number: 3-592370820-080504-0011 **REGION C**



Case No:

33178

DAS No:

R31935

Region: Project Code:	3	Date Shipped: Carrier Name:	8/5/2004 FedEx	Chain of Custody Record		Sampler Signature:	
Account Code:	†03W302DD2CE319LA00	Airbili:	843517786204	Relinquished By	(Date / Time)	Received By	(Date / Time)
CERCLIS ID: Spill ID:	MDSFN0305563 E319	Shipped to:	Bonner Analytical Testing	1			
Site Name/State:	Route 7 Dump/New Jersey Fireworks/MD		Co. 2703 Oak Grove Road	2			
Project Leader: Action:	Expanded Site Investigation/RI		Hattlesburg MS 39402 (601) 264-2854	3			
Sampling Co:	MDE-ERRP			4	pa - gangangan khalip takih didira - bayayin sadari bagai		and the second of the second o

INORGANIC SAMPLE No.	MATRIX/ SAMPLER	CONC/ TYPE	ANALYSIS/ TURNAROUND	TAG No./ PRESERVATIVE/ Bottles	STATION LOCATION	SAMPLE C		ORGANIC SAMPLE No.	QC Type
MC0024	Sediment/	ĽG	TM + CN + (21)	202 (Ice Only) (1)	SED4	S: 8/5/2004	10:25	C0024	
MC0025	Sediment/	L/G	TM + CN + (21)	206 (Ice Only) (1)	SED5	S: 8/5/2004	9:50	C0025	-
MC0026	Sediment/	ĽG	TM + CN + (21)	210 (Ice Only) (1)	SED6	S: 8/5/2004	9:35	C0026	
MC0032	Surface Water/	L/G	CN (21), TM + HG (21)	238 (HNO3), 239 (NaOH) (2)	SW4	S: 8/5/2004	10:20	C0032	- .
MC0033	Surface Water/	L/G	CN (21), TM + HG (21)	242 (HNO3), 243 (NaOH)·(2)	SW5	S: 8/5/2004	9:45	. C0033	·
MC0034	Surface Water/	ĽG	CN (21), TM + HG (21)	246 (HNO3), 247 (NaOH) (2)	SW6	S: 8/5/2004	9:30	C0034	
MC0057	Surface Water/	ГЛG	DM+HG (21)	329 (HNO3) (1)	SW4DM	S: 8/5/2004	10:20		
MC0058	Surface Water/	L/G	DM+HG (21)	⇒330 (HNO3) (1)	SW5DM	S: 8/5/2004	9:45		
MC0059	Surface Water/	ĽG	DM+HG (21)	331 (HNO3) (1)	SW6DM	S: 8/5/2004	9:30		-

Shipment for Case Complete? Y	Sample(s) to be used for laboratory QC:	Additional Sampler Signature(s):	Chain of Custody Seal Number:	
Analysis Key:	Concentration: L = Low, M = Low/Medium, H = High	Type/Designate: Composite = C, Grab = G	Shipment iced?	
CN = Cyanide, DM+HG	= CLP Diss Metals + Hg ICP-AES, TM + CN + = CLP ICP-A	ES TM + CN + HG, TM + HG = CLP TM +HG		

TR Number: 3-592370820-080504-0012 **REGION**



Case No:

33178

DAS No:

Chain of Custody Record

R31935

Sampler

Region: 3

Project Code: Account Code:

†03W302DD2CE319LA00

CERCLIS ID:-

MDSFN0305563

Spill ID:

E319

Site Name/State: Project Leader:

Route 7 Dump/New Jersey Fireworks/MD

Action:

Expanded Site Investigation/RI

Sampling Co: MDE-ERRP Date Shipped: 8/5/2004

Carrier Name:

FedEx

Airbiit: Shipped to: 843517786204

Bonner Analytical Testing

2703 Oak Grove Road Hattiesburg MS 39402

(601) 264-2854

•		Sign ature:	· ·
Relinquished By	(Date / Time)	Received By	(Date / Time)
1			
2			
			

INORGANIC SAMPLE No.	MATRIX/ SAMPLER	CONC/ TYPE	ANA LYSIS/ TURNAROUND	TAG No./ PRESERVATIVE/Bottles	STATION LOCATION		COLLECT E/TIME	ORGANIC SAMPLE No.	QC Type
MC0027	Sediment/	L/G	TM + CN + (21)	214 (Ice Only) (1)	SED7	S: 8/5/2004	8:50	C0027	
MC0028	Sediment/	L/G	TM + CN + (21)	218 (Ice Only) (1)	SED8	S: 8/5/2004	8:55	C0028	Duplicate of SED7
MC0035	Surface Water/	L/G	CN (21), TM + HG (21)	250 (HNO3), 251 (NaOH) (2)	SW7	S: 8/5/2004	8:35	C0035	-
MC0036	Surface Water/	ĽG	CN (21), TM + HG (21)	254 (HNO3), 255 (NaOH) (2)	SW8	S: 8/5/2004	8:40	C0036	Duplicate of SW7
MC0037	Surface Water/	ĽG	CN (21), TM + HG (21)	258 (HNO3), 259 (NaOH) (2)	SW9	S: 8/5/2004	10:30	C0037	
MC0041	Surface Water/	ĽG	CN (21), TM + HG (21)	270 (NaOH), 271 (HNO3) (2)	SW14	S: 8/5/2004	10:50	C0041	Field Blank
MC0060	Surface Water/	ĽG	DM+HG (21)	332 (HNO3) (1)	SW7DM	S: 8/5/2004	8:35		-
MC0061	Surface Water/	ĽG	DM+HG (21)	333 (HNO3) (1)	SW8DM	S: 8/5/2004	8:40		Duplicate of SW7DM
MC0062	Surface Water/	ĽG	DM+HG (21)	334 (HNO3) (1)	SW9DM	S: 8/5/2004	10:30	-	
MC0064	Surface Water/	ĽG	DM+HG (21)	336 (HNO3) (1)	SW14DM	S: 8/5/2004	10:50		-Field Blank

Ship ment for Case Complete? Y	Sample(s) to be used for laboratory QC:	Additional Sampler Signature(s):	Chain of Custody Seal Number:
Analysis Key:	Concentration: L = Low, M = Low/Medium, H = High	Type/Designate: Composite = C, Grab = G	Shipment iced?
CN = Cyanide, DM+HG	= CLP Diss Metals + Hg ICP-AES, TM + CN + = CLP ICP-A	ESTM + CN + HG, TM + HG = CLP TM +HG	. J.

TR Number: 3-592370820-080504-0013 **REGION C**@



Case No:

33178

DAS No:

R31935

Region: Project Code: Account Code: CERCLIS ID: Spill ID: Site Name/State: Project Leader:	To3W302DD2CE319LA00 MDSFN0305563 E319 Route 7 Dump/New Jersey Fireworks/MD	Date Shipped: Carrier Name: Airbili: Shipped to:	8/4/2004 FedEx 843517786215 Bonner Analytical Testing Co. 2703 Oak Grove Road Hattlesburg MS 39402	Chain of Custody Relinquished By 1 2	(Date / Time)	Sampler Signature: Received By	(Date / Time)
Project Leader: Action:	Expanded Site Investigation/RI		(601) 264-2854	3			
Sampling Co:	MDE-ERRP			4			

INORGANIC SAMPLE No.	MATRIX/ SAMPLER	CONC/ TYPE	ANALYSIS/ TURNAROUND	TAG No./ PRESERVATIVE/ Bottles	STATION LOCATION		E COLLECT	ORGANIC SAMPLE No.	QC Type
MC0039	Surface Water/	ĽG	CN (21), TM + HG (21)	264 (HNO3), 265 (NaOH) (2)	SW12	S: 8/4/2004	12:15	C0039	Field Blank
MC0043	Ground Water/	· L/G	CN (21), TM + HG (21)	278 (HNO3), 279 (NaOH) (2)	MVV1A	S: 8/4/2004	11:10	C0043	-
MC0044	Ground Water/	L∕G	CN (21), TM + HG (21)	282 (HNO3), 283 (NaOH) (2)	MW2	S: 8/4/2004	12:20	C0044	-
MC0047	Ground Water/	L/G 	CN (21), TM + HG (21)	294 (HNO3), 297 (NaOH) (2)	MVV4	S: 8/4/2004	10:45	C0047	-
MC0053	Ground Water/	⊔G	DM+HG (21)	348 (HNO3) (1)	GW2DM	S: 8/4/2004	9:00		-
MC0063	Surface Water/	L/G	DM+HG (21)	335 (HNO3) (1)	- SW12DM	S: 8/4/2004	12:15	•	- Field Blank
MC0067	Ground Water/	IJĠ	DM+HG (21)	339 (HNO3) (1)	MW2DM	S: 8/4/2004	12:20		- .
MC0070	Ground Water/	L/G	DM+HG (21)	342 (HNO3) (1)	MW4DM	S: 8/4/2004	10:45		,

Ship ment for Case Sample(s) to be used for laboratory QC: Complete? N		Additional Sampler Signature(s):	Chain of Custody Seal Number:
Analysis Key:	Concentration: L = Low, M = Low/Medium, H ≈ High	Type/Designate: Composite ≈ C, Grab = G	Shipment Iced?
CN = Cyanide, DM+HG	E CLP Diss Metals + Hg ICP-AES, TM + HG = CLP TM +	HG	

TR Number: 3-592370820-080404-0007 **REGION C**



Case No:

33178

DAS No:

R31935

Region: Project Code:	3	Date Shipped: Carrier Name:	8/4/2004 FedEx	Chain of Custody Re	ecord	Sampler Signature:	
Account Code:	T03W302DD2CE319LA00	Airbill:	843517786215	Relinquished By	(Date / Time)	Received By	(Date / Time)
CERCLIS ID: Spill ID:	MDSFN0305563 E319	Shipped to:	Bonner Analytical Testing	1			
Site Name/State:	Route 7 Dump/New Jersey Fireworks/MD		Co. 2703 Oak Grove Road	2			
Project Leader: Action:	Expanded Site Investigation/RI	ļ	Hattiesburg MS 39402 (601) 264-2854	3			
Sampling Co:	MDE-ERRP			4			

INORGANIC SAMPLE No.	MATRIX/ SAMPLER	CONC/ TYPE	ANALYSIS/ TURNAROUND	TAG No./- PRESERVATIVE/ Bottles	STATION LOCATION		E/TIME	ORGANIC SAMPLE No.	QC Type
MC0042	Ground Water/	L/G	CN (21), TM + HG (21)	274 (HNO3), 275 (NaOH) (2)	MW1	S: 8/4/2004	10:30	C0042	
MC0045	Ground Water/	ĽG	CN (21), TM + HG (21)	286 (HNO3), 287 (NaOH) (2)	MW3	S: 8/4/2004	13:25	C0045	
MC0046	Ground Water/	ĽĢ	CN (21), TM + HG (21)	290 (HNO3), 291 (NaOH) (2)	MW3A	S: 8/4/2004	14:00	C0046	
MC0051	Ground Water/	ĽG	CN (21), TM + HG (21)	319 (HNO3), 320 (NaOH) (2)	GW2	S: 8/4/2004	9:00	C0051	-
MC0052	Ground Water/	ĽG	CN (21), TM + HG (21)	323 (HNO3), 324 (NaOH) (2)	GW3	S: 8/4/2004	13:25	C0052	Duplicate of MW3
MC0065	Ground Water/	L/G	DM+HG (21)	337 (HNO3) (1)	MW1DM	S: 8/4/2004	10:30		-
MC0066	Ground Water/	ĽG	DM+HG (21)	338 (HNO3) (1)	MW1A-DM	S: 8/4/2004	11:10		- .
MC0068	Ground Water/	ĽG	DM+HG (21)	340 (HNO3) (1)	MW3DM	S: 8/4/2004	13:25	·	·
MC0069	Ground Water/	ĽG	DM+HG (21)	341 (HNO3) (1)	MW3A-DM	S: 8/4/2004	14:00		- -
MC0071	Ground Water/	L/G	DM+HG (21)	349 (HNO3) (1)	GW3DM	S: 8/4/2004	13:25		Duplicate of MW3DM

Shipment for Case Complete? N	Sample(s) to be used for laboratory QC:	Additional Sampler Signature(s):	Chain of Custody Seal Number:
Analysis Key:	Concentration: L = Low, M = Low/Medium, H = High	Type/Designate: Composite = C, Grab = G	Shipment iced?
CN = Cvanide, DM+HG	= CLP Diss Metals + Hg ICP-AES, TM + HG = CLP TM +HC	3	/ / (O)

TR Number: 3-592370820-080404-0008



MARYLAND DEPARTMENT OF THE ENVIRONMENT

1800 Washington Boulevard, Suite 625 • Baltimore MD 21230-1719 410-537-3000 • 1-800-633-6101



Robert L. Ehrlich, Jr. Governor

VALIDATOR'S COPY

Kendl P. Philbrick Secretary

Michael S. Steele Lt. Governor

August 11, 2004

Jonas A. Jacobson Deputy Secretary

Ms. Betty Jeffery
U.S. Environmental Protection Agency
Region III
Environmental Science Center
701 Mapes Road
Fort Meade, Maryland 20755

Dear Ms. Jeffery:

Enclosed are Traffic Reports (TRs) and Chain of Custody Records for the Route 7 Dump/New Jersey Fireworks Site, DAS Case Number R31935/RAS Case Number 33178.

- TR # 3-592370820-080304-0001
- TR # 3-592370820-080304-0002
- TR # 3-592370820-080304-0003
- TR # 3-592370820-080304-0004
- TR # 3-592370820-080304-0005
- TR # 3-592370820-080304-0006
- TR # 3-592370820-080304-0007
- TR # 3-592370820-080304-0008
- TR # 3-592370820-080304-0009
- TR # 3-592370820-080304-0010
- TR # 3-592370820-080304-0011
- TR#3-592370820-080304-0012
- TR # 3-592370820-080304-0013
- TR # 3-592370820-080304-0014
- TR#3-592370820-080304-0015
- TR # 3-592370820-080304-0016
- TR # 3-592370820-080304-0017**
- TR # 3-592370820-080404-0001
- TR # 3-592370820-080404-0002
- TR # 3-592370820-080404-0003
- TR # 3-592370820-080404-0004
- TR# 3-592370820-080404-0005

www.mde.state.md.us

- TR # 3-592370820-080404-0006
- TR # 3-592370820-080404-0007
- TR # 3-592370820-080404-0008
- TR # 3-592370820-080504-0001
- TR # 3-592370820-080504-0002
- TR # 3-592370820-080504-0003
- TR # 3-592370820-080504-0004
- TR # 3-592370820-080504-0005
- TR # 3-592370820-080504-0006
- TR # 3-592370820-080504-0007
- TR # 3-592370820-080504-0008
- TR # 3-592370820-080504-0009
- TR # 3-592370820-080504-0010
- TR# 5-592570020-000504-0010
- TR # 3-592370820-080504-0011
 TR # 3-592370820-080504-0012
- TR # 3-592370820-080504-0013

For DAS Case Number R31935, on TR # 3-592370820-080304-0013, the sample date and time were missing from the laboratory copy of the TR for sample R31935-PW5 (sample collected by Eugene Dejoise). The correct sample date and time, respectively, are 8/3/04 and 1140. This information has been added to the Region TR and initialed.

On the same TR as above, the sample date and time for sample R31935-S15 (sample collected by Dixon Wood) were handwritten onto the lab TR, but there were no initials indicating who added the handwritten information. The information was added to the lab TR by the CLP coordinator in the field (Peggy Smith, initials PWS) when the information was observed to be missing. This information has been added to the enclosed Region TR and initialed.

For RAS Case Number 33178 on TR # 3-592370820-080404-0007, sample MC0063 had a sample tag and TR collection time of 1215 and a bottle collection time of 1220. The correct collection time for this sample is 1215. The bottle was mislabeled in the field.

Also, sample number MC0002 was inadvertently omitted from TR # 3-592370820-080304-0014 and was later electronically inserted onto a new TR by itself, TR # 3-592370820-080304-0017. However, field personnel were unable to print out a copy of this TR and improvised by adding (in handwriting) this sample onto the end of TR # 3-592370820-080304-0014 and shipping it out with the samples included with that TR. This information is included here to document why the electronic version of this case will have a TR # 3-592370820-080304-0017, but the hard-copies do not.**



Additionally, TRs # 3-592370820-080504-0001 thru -0005 indicate that the shipment is not complete. Since this was the last day of sampling, the shipment was in fact complete and the Region TRs have been revised and initialed to reflect this.

Lastly, due to a Forms II Lite issue specifically pertaining to adding and editing analyses, corresponding inorganic sample numbers did not appear on some of the TRs. The corresponding sample numbers have been added on the enclosed Region TRs and initialed. According to the Forms II Lite Help Desk, the "Make Analysis Permanent" box must be checked to rectify this problem. We have since put a checkmark in the box to ensure this does not present a problem in the future.

If you have any questions, please contact me at (410) 537-3493.

Sincerely

Peggy Smith, Project Manager CHS Enforcement/Fund Lead Site


Assessment Division

Peggy Smith

PS

Enclosure

cc:



	U.S EPA Region	ı III A	Analytical Requ	est Forn	Δ		
RAS CASE #: CT3062 33178	DAS #:	:		NSF #:			
Date: 6/16/04	QAPP/	/SAP: 0	J6/04	Data Val	lidation Level: IM2,	M3	
Site: REVANI FIREWORKS New Jer	sey Fireworks						
Address: RT.7 OLD PHILADELPHIA RD	City: ELKTON		State	: MD			
Latitude: 39 36 15	Longitu	tude: 75					
Program: CERCLA	CERCLIS#: MDSFN030					<i>y</i>	<u></u>
Account #: 2004T03 302DD2CE319LA00			Spill ID: E31	.9			· · · · · · · · · · · · · · · · · · ·
Preparer: PHILL ANDERSON	Phone: 410 537-3440		Fax: 410 537-3472	2	E-mail: pandersor	@mde.state.md.us	
OSC/RPM: LORIE BAKER	Phone: 215 814-3355		Fax:		E-mail: baker.lorie		
Site Leader: PHILL ANDERSON	Phone: 410 537-3440		Fax: 410 5337-347	72		n@mde.state.md.us	
EPA CO: LORIE BAKER	Contract Type:		Prime: MDE		Sub:		
Analytical TAT: 21 days			Analytical + Valid	lation TAT	Γ: 42 days		
Ship Date From: Aug 3, 2004			Ship Date To: Aug	g 5, 2004			
Samples	Method	Paran	neter			Matrix	
27	OLM04.3		VOCS		Ceimic	SOIL/SEDIMENT	122392
27	OLM04.3	TCL	SVOCS & TCL PES	STICIDES	Sceinicl	SOIL/SEDIMENT	
27	ILM05.3 ICP. AES	TAL	METALS & CYAN	TDE Z	BONNER	SOIL/SEDIMENT	22396
3	OLM04.3	TCL	VOCS		Ceimic	WATER	22392
23	OLM04.3		SVOCS & PESTIC	IDES C	Ceimic /	WATER	22393,2239
44 2	ILM05.3 TCP. AES	TAL	METALS TALME			WATER	22397
23	ILM05.3 JCP-AES		NIDE+Metal			WATER ~	12398
	,		india 10 Dunbar				
·							
	l						
Instruction: Please note; after final approval	of the SAP, it was deter	mined f	that an additional tri	p blank m	ay be necessary. Th	erefore, this RAS requ	est reflects (3) trips

Auditor sentered: 8/26/04 DH

blanks compared to (2) that is outlined in the SAP.



Appendix D

Laboratory Case Narrative

COVER PAGE

0040		
001 [©]	YOU.	
	NA	
	*	

EPA Sample No. MC0001 MC0002 MC0003 MC0003D MC0003S MC0004 MC0005 MC0006 MC0007 MC0008 MC0009 MC0010 MC0011 MC0012	Lab Sample ID BT05527 BT05528 BT05529 BT05529D BT05529S BT05530 BT05531 BT05532 BT05533 BT05534 BT05535 BT05536 BT05536		
MC0001 MC0002 MC0003D MC0003S MC0004 MC0005 MC0006 MC0007 MC0008 MC0009 MC0010 MC0011	BT05527 BT05528 BT05529 BT05529D BT05529S BT05530 BT05531 BT05532 BT05533 BT05534 BT05535 BT05536		
MC0001 MC0002 MC0003D MC0003S MC0004 MC0005 MC0006 MC0007 MC0008 MC0009 MC0010 MC0011	BT05527 BT05528 BT05529 BT05529D BT05529S BT05530 BT05531 BT05532 BT05533 BT05534 BT05535 BT05536		
MC0002 MC0003D MC0003S MC0004 MC0005 MC0006 MC0007 MC0008 MC0009 MC0010 MC0011 MC0012	BT05528 BT05529 BT05529D BT05529S BT05530 BT05531 BT05532 BT05533 BT05534 BT05535 BT05536		
MC0003D MC0003S MC0004 MC0005 MC0006 MC0007 MC0008 MC0009 MC0010 MC0011	BT05529 BT05529S BT05530 BT05531 BT05532 BT05533 BT05534 BT05535 BT05536		
MC0003D MC0003S MC0004 MC0005 MC0006 MC0007 MC0008 MC0009 MC0010 MC0011 MC0012	BT05529D BT05529S BT05530 BT05531 BT05532 BT05533 BT05534 BT05535 BT05536		
MC0003S MC0004 MC0005 MC0006 MC0007 MC0008 MC0009 MC0010 MC0011	BT05529S BT05530 BT05531 BT05532 BT05533 BT05534 BT05535 BT05536		
MC0004 MC0005 MC0006 MC0007 MC0008 MC0009 MC0010 MC0011	BT05531 BT05532 BT05533 BT05534 BT05535 BT05536		
MC0005 MC0006 MC0007 MC0008 MC0009 MC0010 MC0011	BT05531 BT05532 BT05533 BT05534 BT05535 BT05536		
MC0006 MC0007 MC0008 MC0009 MC0010 MC0011 MC0012	BT05532 BT05533 BT05534 BT05535 BT05536		
MC0007 MC0008 MC0009 MC0010 MC0011	BT05533 BT05534 BT05535 BT05536		
MC0008 MC0009 MC0010 MC0011 MC0012	BT05534 BT05535 BT05536		
MC0009 MC0010 MC0011 MC0012	BT05535 BT05536		
MC0010 MC0011 MC0012	BT05536		
MC0011 MC0012			
MC0012	BT05537	 .	
2/00/01/4	BT05538		
MC0014	BT05539		
MC0015	BT05540		
MC0016	BT05541		
MC0017	BT05542		
MC0018	BT05543		
MC0019	BT05544		
		ICP-AES	ICP-MS
•	•		
Were ICP-AES and ICP-MS interelement corrections	(Yes/No)	YES	YES
applied?			
Were ICP-AES and ICP-MS background corrections	(Yes/No)	YES	YES
applied?			_
If yes, were raw data generated before			
application of background corrections?	(Yes/No)	NO	NO
·			
Comments:			
	<u> </u>		
I certify that this data package is in compliance with			
contract, both technically and for completeness, for o above. Release of the data contained in this hardcopy			roadablo data
submitted on diskette (or via an alternate means of el		ne computer-	readable data
transmission, if approved in advance by USEPA) has bee		boratory	
Manager or the Manager's designee, as verified by the		-	
	_		
			•
			•
Signature: Name	:		
/ /			
V17C/1	e: Inorganic Labor	nhaws Man	

Bonner Analytical Testing Company





2703 Oak Grove Road, Hattiesburg, MS 39402 Phone: (601) 264-2854 Fax: (601) 268-7084

SDG NARRATIVE:

SDG Number: MC0004 Case Number: 33178

Contract Number: 68W02067

Sample Receipt:

On 8/4/04 we received 18 soil samples under Fed Ex air bill number 8435 1778 6248. Custody seals were present and intact. Cooler temp was determined to be 2°C. Samples MC0003, MC0049, and MC0073 were listed for QC. Samples were in good condition with no discrepancies.

ICP-Metals

The analytical run for metals began on 8/19/04 @ 0901 hrs. During the run, the matrix spike, MC0003S, failed for Sb. A post spike was analyzed at two times the CRQL for Sb. Samples MC0007, MC0008, MC0011, and MC0016 were over the linear range for Ba and Fe. The samples were diluted and reanalyzed. ICSA04 did not sample, the samples associated with this failure were Z'd out. Samples MC0001 thru MC0009 were reran on 8/24/04. Dup out for Ba, Cu, gb, mg & 2n

CV-AA Mercury

No Discrepancies

Cyanides

No Discrepancies

CSF:

No Discrepancies



USEPA - CLP

COVER PAGE

Lab Name: Bonner Analytical Testing Company Contract: 68W02067




Lab Code:	BONNER Case No: 33178	NRAS No.:	sd	G No: MC	0022
SOW No.:	ILM05.3				·
	EPA Sample No.	Lab Sample ID			
	_ MC0021	PT05545			6603260
		BT05545			
	MC0021D MC0021S	BT05545D BT05545S			
	MC0021S	BT05546		/	
	MC0023	BT05547		1	
				()	*
	MC0024	BT05548		(;	·· ::
	MC0025	BT05549		\	3
	MC0026	BT05550			
	MC0027	BT05551			
	MC0028	BT05552			The same of the sa
			•		
					•
				ICP-AES	ICP-MS
Were ICP-A	ES and ICP-MS interelement corrections	(Yes	/No)	YES	YES
applied?					
	ES and ICP-MS background corrections	(Yes	/No)	YES	YES
applied?					
	s, were raw data generated before		_		
applic	cation of background corrections?	(Yes	/No)	мо	NO
Comments:	Barium flagged as "E" estimated due to interfere	nces occuring during th	e analysis of	the Serial Di	lution.
			<u> </u>		
contract, above. Resubmitted transmission	that this data package is in compliance we both technically and for completeness, for lease of the data contained in this harder on diskette (or via an alternate means of on, if approved in advance by USEPA) has better the Manageris designed as verified by the	r other than the co opy data package an electronic been authorized by	onditions d ad in the c the Labora	etailed omputer-re	adable data
manager or	the Manager's designee, as verified by the	ne rollowing signat	ure.		
•					•
Signature:	N	ame:			
pranacate:		·			
	8/25/4				
Date:	T:	itle: <u>Inorganic</u>	Laborato	ry Manage	r

Bonner Analytical Testing Company



2703 Oak Grove Road, Hattiesburg, MS 39402 Phone: (601) 264-2854 Fax: (601) 268-7084



SDG NARRATIVE:

SDG Number: MC0022 Case Number: 33178

Contract Number: 68W02067

Sample Receipt:

On 8/6/04 we received 8 soil samples in three coolers under Fed Ex air bill number 8435 1778 6204. Custody seals were present and intact. Cooler temps were determined to be 2°C, 2.5°C, and 3°C. Samples were in good condition except for the following discrepancies:

- 1. Samples MC0022, 26, 27, and 28 all had about 20 mls of standing water. Please advise on whether to decant or homogenize.

 Resolution 1: Per Region 3, "the lab must prepare the samples by mixing tell samples thoroughly, take a sub-sample for digestion and proceed with the analysis of the digests."
- 2. There was no QC listed. We would like to use sample MC0021 for QC. Resolution 2) In accordance with previous direction from Region 3, the laboratory will select a sample for laboratory QC as long as the sample is not a PE, blank, or rinsate sample. The laboratory will note the issue in the Case/SDG Narrative, notify the SMO coordinator of the sample selected for laboratory QC (MC0021-soil and MC0029-water), and proceed with the analysis of the samples.



ICP-Metals

The analytical run for metals began 8/18/04 @ 1617 hrs. During the run, the matrix spike failed for As, Se, and Sb. Corrective action calls for a post spike to be performed at two times the CRQL.

Also, the duplicate sample failed for Pb and the serial dilution failed for Ba. No corrective action is required. Data will be reported as is and flagged in the CSF.

CV-AA Mercury

The analytical run for mercury was performed on 8/10/04. The initial instrument calibration failed due to one of the calibration standards was out of acceptable range. The instrument was recalibrated and the analytical run was initiated at 1354 hrs.

Cyanides

No Discrepancies

CSF:

No Discrepancies



001

COVER PAGE

ab Name:	Bonner Analytical Testing Com	pany Contract:	68W02067		
ab Code:	BONNER Case No: 33178	NRAS No.:		SDG No: ,MC	0029
OW No.:	ILM05.3				
	EPA Sample No.	Lab :	Sample ID		
	-		_	,	15 24 28 25
	MC0029	BT05		- /:	
	MC0029D		553D	— /ś```	
	MC0029S		553S	 /#*	
	MC0030	BT05		- (; · · ·	
÷	MC0031	BT05		 \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\	
	MC0032	BT05		 \	•
	MC0033	BT05	~~~~	 \\.\.\.\.\.	
	MC0034	BT05		 \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\	
	MC0035	BT05			
	MC0036	BT05			Name of the state
	MC0037	BT05			
	MC0041	BT05			
	MC0054	BT05	''		
	MC0055	BT05			
	MC0056	BT05			
	MC0057	BT05			
	MC0058	BT05			
	MC0059	BT05			
	MC0060	BT05			
	MC0061	BT05	570		
				ICP-AES	ICP-MS
ere ICP-AE pplied?	S and ICP-MS interelement correct	cions	(Yes/No)	YES	YES
ere ICP-AE	S and ICP-MS background correction	ons	(Yes/No)	YES	YES
	were raw data generated before				
applica	ation of background corrections?		(Yes/No)	NO	NO
mments:	Barium flagged as "E" estimated due to	interferences occurr	ing during the analys	is of the Serial D	ilution.
		2			
		,		- <u></u>	
			· · · · · · · · · · · · · · · · · · ·		
•				•	
ontract, be oove. Relabilitied of cansmission	hat this data package is in comploth technically and for completer ease of the data contained in thin diskette (or via an alternate now, if approved in advance by USER the Manager's designed, as verifi	ness, for other the state of th	han the condition package and in th ic orized by the Lab	s detailed e computer-re	eadable data
gnature:		Name:			
gnature:					
+4.	08-25-2004	Title:	Inorganic Labor	atory Manage	er

COVER PAGE

Bonner Analytical Testing Company Contract: 68W02067

Lab Name:



	NER Case No: 33178	NRAS		SDG No: MC	
N No.: ILM	105.3				
	EPA Sample No.	;	Lab Sample ID		
	MC0062	•	BT05571		٠
	MC0064		BT05572		
	•		•		
•	·				
					•
			•	1	
		•			
			r - *		
				ICP-AES	ICP-MS
re ICP-AES an plied?	d ICP-MS interelement corrections		(Yes/No)	YES	YES
re ICP-AES an	d ICP-MS background corrections		(Yes/No)	YES	YES
	re raw data generated before				
_				***	NO
If yes, wer	of background corrections?		(Yes/No)	NO	
If yes, wer application		erences od			
If yes, wer application	of background corrections?	erences oc			
If yes, wer application	of background corrections?	erences oo			
If yes, wer application	of background corrections? ium flagged as "E" estimated due to interfe		ccurring during the analy	sis of the Serial E	
If yes, wer application ments: Bar certify that	of background corrections?	with t	ccurring during the analy	ons of the	
If yes, were application manners: Bar certify that ntract, both ove. Release	ium flagged as "E" estimated due to interfection the flagged as the stimated due to interfect the flagged as the state of the data contained in this hard	with t for oth	he terms and condition than the condition than the condition at a package and in the condition that the condition that the condition that the condition the	ons of the	pilution.
If yes, were application ments: Bar certify that ntract, both ove. Release bmitted on di	ium flagged as "E" estimated due to interfection this data package is in compliance technically and for completeness, of the data contained in this hardskette (or via an alternate means of the data contained in the skette (or via an alternate means of the data contained in the skette (or via an alternate means of the data contained in this hardskette (or via an alternate means of the data contained in this hardskette (or via an alternate means of the data contained in this hardskette (or via an alternate means of the contained in this hardskette (or via an alternate means of the contained in the contained in this hardskette (or via an alternate means of the contained in the con	with to	he terms and condition than the condition than the condition at a package and in the tronic	ons of the ns detailed he computer-re	ilution.
If yes, were application manners: Bar certify that ntract, both ove. Release bmitted on diansmission, i	ium flagged as "E" estimated due to interfection the flagged as the stimated due to interfect the flagged as the state of the data contained in this hard	with to for othe decay do f elects been a	he terms and condities than the condition that package and in the tronic authorized by the La	ons of the ns detailed he computer-re	pilution.
If yes, were application manners: Bar certify that natract, both ove. Release bmitted on diansmission, i	ium flagged as "E" estimated due to interfections? this data package is in compliance technically and for completeness, of the data contained in this hardskette (or via an alternate means of approved in advance by USEPA) ha	with to for othe decay do f elects been a	he terms and condities than the condition that package and in the tronic authorized by the La	ons of the ns detailed he computer-re	ilution.
If yes, were application omments: Bar certify that ontract, both cove. Release bmitted on disansmission, i	ium flagged as "E" estimated due to interfections? this data package is in compliance technically and for completeness, of the data contained in this hardskette (or via an alternate means of approved in advance by USEPA) ha	with to for othe decay do f elects been a	he terms and condities than the condition that package and in the tronic authorized by the La	ons of the ns detailed he computer-re	ilution.
If yes, were application manners: Bar certify that ntract, both ove. Release bmitted on diansmission, in ager or the	ium flagged as "E" estimated due to interfections? this data package is in compliance technically and for completeness, of the data contained in this hardskette (or via an alternate means of approved in advance by USEPA) ha	with to for othe decay do f elects been a	he terms and conditier than the conditionata package and in the conditionata package and the La	ons of the ns detailed he computer-re	ilution.
If yes, wer application mments: Bar certify that ontract, both love. Release bmitted on distansmission, in ager or the grature.	ium flagged as "E" estimated due to interfections? this data package is in compliance technically and for completeness, of the data contained in this hardskette (or via an alternate means of approved in advance by USEPA) ha	with the for other decay do of election been to the following the follow	he terms and conditier than the conditionata package and in the conditionata package and the La	ons of the ns detailed he computer-re	ilution.

COVER PAGE

ON CANON

Bonner Analytical Testing Company



2703 Oak Grove Road, Hattiesburg, MS 39402 Phone: (601) 264-2854 Fax: (601) 268-7084

SDG NARRATIVE:

SDG Number: MC0029 Case Number: 33178

Contract Number: 68W02067

Sample Receipt:

On 8/6/04 we received 20 water samples in three coolers under Fed Ex air bill number 8435 1778 6204. Custody seals were present and intact. Cooler temps were determined to be 2°C, 2.5°C, and 3°C. Samples were in good condition except for the following discrepancies:

1. There was no QC listed. We would like to use sample MC0021 for QC. Resolution 1) In accordance with previous direction from Region 3, the laboratory will select a sample for laboratory QC as long as the sample is not a PE, blank, or rinsate sample. The laboratory will note the issue in the Case/SDG Narrative, notify the SMO coordinator of the sample selected for laboratory QC (MC0021-soil and MC0029-water), and proceed with the analysis of the samples.

ICP-Metals

The analytical run was began 8/13/04 @ 1528 hrs. During the run, Al was two fold different in concentration between the parent and its duplicate. Corrective action calls for the samples to be redigested and reanalyzed. On 8/19/04 @ 0901 hrs, another run began for the aforementioned samples.

OPAIGINAL

Also, the matrix spike was reanalyzed on the second run. The matrix spike failed for Ag. Corrective action calls for a post spike to be analyzed two times the CRQL.

Barium was out for the serial dilution. No corrective action is required. Data will be reported as is and flagged in the CSF.

CV-AA Mercury

No Discrepancies

Cyanides

The analytical run for cyanide began 8/13/04 @ 1406 hrs. During the run, the FasPac software of the CN analyzer did not record the date and time of CCB01 on the raw data. Corrective action calls for the null time to be lined out, initialed and dated, and the correct date and time recorded on the raw data.

CSF:

No Discrepancies

Authorized by

Quality Assurance Officer

COVER PAGE

A STATE OF THE STA	O ₂	
ECFIVEN	001	Char
	i .	

		KH!FIVEN	'\
h Neme . Dennen Amelutisel Mestine General Go		uratilita	· ·
Name: Bonner Analytical Testing Company Co	ntract: 68W02067 /	NUG 2004	<u> </u>
Code: BONNER Case No: 33178	TRAS No.:	SDG No: MCO	073
No.: ILM05.3			1
EPA Sample No.	Lab Sample ID		
MC0039	BT05502		
MC0042	BT05503		
MC0043	BT05504		
MC0044	BT05505		
MC0045	BT05506		
MC0046	BT05507		
MC0047	BT05508	`	
MC0049	BT05509	_	
MC0049D	BT05509D		
MC0049S	BT05509S	_	
MC0051	BT05510		
MC0052	BT05511		
MC0053	BT05512		
MC0063	BT05513		
MC0065	BT05514		
MC0066	BT05515		
MC0067	BT05516		
MC0068	BT05517		
MC0069	BT05518		
MC0070	BT05519		
·		ICP-AES	ICP-MS
	/ / \	*****	******
re ICP-AES and ICP-MS interelement corrections plied?	(Yes/No)	YES	YES
F			
re ICP-AES and ICP-MS background corrections	(Yes/No)	YES	YES
pplied? If yes, were raw data generated before			
application of background corrections?	(Yes/No)	NO	NO
mments: Magnesium, manganese and potassium flagged as '	'E" estimated due to interference	es occurring au	ing the analy
of the Serial Dilution.			
		<u></u>	
•			
cortification that this data paskage is in sempliance wi	th the terms and sandition	as of the	
certify that this data package is in compliance wi ontract, both technically and for completeness, for			
pove. Release of the data contained in this hardco			adable data
bmitted on diskette (or via an alternate means of	electronic	_	
cansmission, if approved in advance by USEPA) has be		oratory	

Signature: Name:

S/18/4

Title: Inorganic Laboratory Manager

COVER PAGE



Lab Name:	Bonner Analytical Testing Company	Contract: 68W02067	
Lab Code:	BONNER Case No: 33178	NRAS No.:	SDG No: MC0073
SOW No.:	ILM05.3		
	EPA Sample No.	Lab Sample ID	
	MC0071	BT05520	. *
	MC0073	BT05521	
		,	
	,		
			•
	•		
	•	•	ICP-AES ICP-MS
	ES and ICP-MS interelement corrections	(Yes/No)	YES YES
applied?			
Were ICP-A applied?	ES and ICP-MS background corrections	(Yes/No)	YES YES
	s, were raw data generated before		
applic	cation of background corrections?	(Yes/No)	NO NO
Comments:	Magnesium, manganese and potassium flagged	d as "E" estimated due to interfere	nces occurring during the analysis
	of the Serial Dilution.		
			
			
			•
	that this data package is in compliance		
	both technically and for completeness, lease of the data contained in this har		
submitted	on diskette (or via an alternate means	of electronic	·
	on, if approved in advance by USEPA) ha the Manager's designee, as verified by		boratory
-			
		1	
Signature:		Name:	
	8/18/4		
Date:	9/18/14	Title: Inorganic Labor	ratory Manager

COVER PAGE

Bonner Analytical Testing Company





2703 Oak Grove Road, Hattiesburg, MS 39402 Phone: (601) 264-2854 Fax: (601) 268-7084

SDG NARRATIVE:

SDG Number: MC0073 Case Number: 33178

Contract Number: 68W02067

Sample Receipt:

On 8/4/04 we received 2 water and 18 soil samples under Fed Ex air bill number 8435 1778 6248. Custody seals were present and intact. Cooler temp was determined to be 2°C. Samples MC0003, MC0049, and MC0073 were listed for QC. On 8/5/04 we received 18 water samples in two coolers under Fed Ex air bill number 8435 1778 6215. Custody seals were present and intact. Cooler temps were determined to be 3°C and 5.5°C. Samples were in good condition except for the following discrepancies:

- 1. SampleMC0063 had a sample tag and TR/COC collection time of 1215 and a bottle collection time of 1220. Please advise on the correct collection time.
- 2. Samples MC0042 and MC0052 (CN) had a pH of 11. Please advise on whether or not to adjust.

ICP-Metals

The analytical run for metals on 8/13/04 @ 1234 hrs. During the run, the serial dilution, MC0049L, failed for K, Mg, and Mn. The serial dilution results were flagged and reported as is. Samples MC0051 and MC0052 were over the linear range for Ba. A 1:2 dilution was prepared for MC0051 and MC0052 and analyzed.

CV-AA Mercury

The analytical run for mercury began on 8/13/04 @ 1652 hrs. During the run, CRI02, the second CRQL check standard was out. CRI02 was reanalyzed.

Cyanide

No Discrepancies

CSF

No Discrepancies

Authorized by

Quality Assurance Officer

From:

Sent:

Friday, August 06, 2004 9:54 AM

To:

sample receipt:

Cc:

mail)

Subject:

Region 03 | Case 33178 | Lab BONNER | Issue Insufficient/inappropriate designation of

laboratory QC | FINAL

In accordance with previous direction from Region 3, the laboratory will select one of the designated samples per matrix for laboratory QC. The laboratory will note the issue in the Case/SDG Narrative, notify the SMO coordinator of the sample selected for laboratory QC, and proceed with the analysis of the samples.

SMO will record that the lab will use sample MC0049 for lab QC for this SDG.

Please let me know if you have any other questions or problems.

Thanks,

CSC

CLP Coordinator for Regions 3, 7, & 9

703-818-4214

This is a PRIVATE message. If you are not the intended recipient, please delete without copying and kindly advise us by e-mail of the mistake in delivery. NOTE: Regardless of content, this e-mail shall not operate to bind CSC to any order or other contract unless pursuant to explicit written agreement or government initiative expressly permitting the use of e-mail for such purpose.

----Original Message----

From:

Sent: Thursday, August 05, 2004 3:52 PM

To:

Cc:

Subject: Region 3 | Case 33178 | QC

I am closing out an SDG for case 33178. This SDG had two QC's listed, MC0049 and MC0073. We would like to use sample MC0049 for QC.

Thanks,

Bonner Analytical 68W02067

From:

Sent:

Thursday, August 12, 2004 10:34 AM sample receipt; Chris Bonner (E-mail)

Cc:

mail)

Subject:

Region 03 | Case 33178 | Lab BONNER | Issue Multiple | FINAL

Issue 1: (Discrepancies with tags, jars, and/or TR/COC) Sample MC0063 had a sample tag and TR collection time of 1215 and a bottle collection time of 1220. The lab would like to know the correct collection time for this sample. Resolution 1: Per the Region, "the correct collection time for this sample is 1215. The bottle was mislabeled in the field." The lab will note the issue in the Case/SDG Narrative and proceed with the analysis of the samples.

Issue 2: (pH outside allowable limits) Samples Mc0042 and Mc0052 (CN) had a pH of 11. The lab would like to know if they should adjust the pH. Resolution 2: Per the Region, "the pH can be adjusted and the lab can analyze the samples." The lab will note the issue in the Case/SDG Narrative and proceed with the analysis of the samples.

Please let me know if you have any other questions or problems.

Thanks,

CSC

CLP Coordinator for Regions 3, 7, & 9

703-818-4214

This is a PRIVATE message. If you are not the intended recipient, please delete without copying and kindly advise us by e-mail of the mistake in delivery. NOTE: Regardless of content, this e-mail shall not operate to bind CSC to any order or other contract unless pursuant to explicit written agreement or government initiative expressly permitting the use of e-mail for such purpose.

----Original Message----

From:

Sent: Thursday, August 12, 2004 10:23 AM

To:

Subject: Re: NEW ISSUE | Region 03 | Case 33178 | Lab BONNER | Issue Multiple

FYI

---- Forwarded by

on 08/12/2004 10:25 AM----

From: Peggy Smith <psmith@mde.state.md.us>

To:

Phillip Anderson <panderson@mde.state.md.us>

cc:

<mcox@mde.state.md.us>

Subject: Re: NEW ISSUE | Region 03 | Case 33178 | Lab BONNER | Issue

Multiple

08/12/2004 10:18 AM

Sample MC0063 had a sample tag and TR collection time of 1215 and a bottle collection time

of 1220. The correct collection time for this sample is 1215. The bottle was mistageled in the field.

>>> 08/12/04 10:02AM >>>

We did not receive any response from the field.

Phill and Peggy,

The lab requested a time correction which was discrepant between the TR/COC and the container label. Please write memo to file as soon as possible.

From: "To:

cc:

Subject: NEW ISSUE | Region 03 | Case 33178 | Lab BONNER | Issue Multiple 08/12/2004 09:33 AM

Has the sampler provided a response to the issue below?

"Sample MC0063 had a sample tag and TR collection time of 1215 and a bottle collection time of 1220. The lab would like to know the correct collection time for this sample."

Please advise.

Thanks,

From: Sent: Friday, August 06, 2004 1:07 PM

To: Cc:

(E-mail)

Subject: Re: NEW ISSUE | Region 03 | Case 33178 | Lab BONNER | Issue Multiple

The pH can be adjusted and the lab can analyze the samples.

From:
To:

cc:

Subject: NEW ISSUE | Region 03 | Case 33178 | Lab BONNER | Issue Multiple 08/06/2004 11:50 AM

Betty Ann responded to the pH issue, however, per the ILM05.3 SOW, "Unless instructed by the USEPA Regional CLP Project Officer (CLP PO), the Contractor shall not perform any pH adjustment action if the sample has not been properly preserved."

Any direction regarding pH adjustments has to come from either the PO, or, in the PO's absence, the back-up PO.

please advise regarding the pH.

<u>Thanks</u>,

----Original Message---From:
Sent: Friday, August 06, 2004 11:15 AM
To:

:Subject: Re: NEW ISSUE | Region 03 | Case 33178 | Lab BONNER | Issue Multiple

Issue 2 - Please have the lab document the issue in the case narrative, adjust the roontinue with the analysis. Thanks. Issue 1 has been sent to the samplers to address.

From:
To:

cc:

Subject: NEW ISSUE | Region 03 | Case 33178 | Lab BONNER | Issue Multiple 08/06/2004 10:53 AM

Following is an email from BONNER regarding samples received for Case 33178. The lab has the following issues regarding these samples.

Issue 1: (Discrepancies with tags, jars, and/or TR/COC) Sample MC0063 had a sample tag and TR collection time of 1215 and a bottle collection time of 1220. The lab would like to know the correct collection time for this sample.

Issue 2: (pH outside allowable limits) Samples Mc0042 and Mc0052 (CN) had a pH of 11. The lab would like to know if they should adjust the pH. Please advise.

Thanks,

----Original Message----

From:

Sent: Thursday, August 05, 2004 3:40 PM

To:

CG:

Subject: Region 3 | Case 33178 | Sample Receipt

Today we received 18 water samples in two coolers under Fed Ex air bill number 8435 1778 6215. Custody seals were present and intact. Cooler temps were determined to be 3°C and 5.5°C. Samples were in good condition except for the following discrepancies:

SampleMC0063 had a sample tag and TR/COC collection time of 1215 and a bottle collection time of 1220. Please advise on the correct collection time.

Samples MC0042 and MC0052 (CN) had a pH of 11. Please advise on whether or not to adjust.

Thanks,

Bonner Analytical 68W02067